





# WINCHESTER SHORT MAGNUM









# WSM CONCEPT




### WSM CONCEPT

Browning and Winchester, the undisputed leaders in the field of weapons and ammunition are pleased to present two new Winchester Short Magnum calibre in 2003: the 270 WSM and the 7mm WSM, which will be added to the enormously successful 300 WSM.

The trend in rifle design over the past few years has been towards lighter weight guns. With the introduction of WSM calibres, developed in close collaboration with, Browning proposes a new concept that combines compact, lightweight guns with a calibre providing the exceptional level of ballistic performance that until now has been reserved to the most powerful magnum calibres.

These WSM calibres will allow you to use ammunition offering even better performance than a conventional or standard magnum calibre, in terms of velocity, energy and trajectory.





Calibre	Weight	Size of	Velocity	Drop (cm) at 300 m	Energy
	(Grains)	cartridge (mm)	m/s	(adjusted for 200m)	(Joules)
270 WSM	130	72,60	998	24,90	4193
270 Win.	130	84,80	929	27,60	3633
270 Wby. Mag.	130	83,70	975	24,30	4000
7 mm WSM	140	72,60	982	23,64	4373
7 mm Rem. Mag.	140	83,50	944	25,80	4041
300 WSM	180	72,60	905	29,9	4750
300 Win. Mag.	180	84,80	902	29,9	4718
300 H & H	180	91,40	877	29,9	4460




Ammunition of the Year









# **CONTENTS**

New: Winchester Short Magnum		
Contents	5	
The Browning Charter	6	
Internet	7	
Custom Shop Guns	11	
Hunting Firearms		
Over-and-Under Shotguns	23	
Semi-automatic Shotguns	33	
Express Rifle	39	
Semi-automatic Rifles	41	
Repeating Rifles		
Straight-line Action Rifles	53	
Repeating Rifles	55	
Scopes - Optalens	57	
Game and Target Shooting (GTS)	63	
Target Shooting		
Over-and-Under Shotguns	67	
Semi-automatic Shotguns	76	
.22 Rifles	77	
Hand Guns	79	
Compressed Air	81	
Outdoor		
Clothing	85	
Accessories	91	
Cartridges	98	

Editor in charge: Philippe Chamoret, Marketing Manager Browning International Design & computer graphics: Agence To Be, Thimister (Belgium) - www.to-be.be Editor: P. Bartholomé - Translation: Bureau Nathalie Delpierre Photographs: Ph. Allard & Ph. van Horen, To-Be - Printing: Graphing

<sup>•</sup> The trademarks displayed, except the Winchester® trademark are the exclusive property of Browning International. No use will be allowed prior to formal approval by Browning International, and unauthorised use will be prosecuted. The Winchester® trademark is licensed to Browning International by Olin Corporation. (USA)

The Winchester® trademark is licensed to Browning International by Olin Corporation. (USA)

• The documents, information, technical data, and photographs displayed in the present catalogue may not be reproduced, modified, translated or inserted in a databank, communicated to the public, in whole or in part, in any form whatsoever, without Browning International's prior and written approval. All rights reserved for all countries.\*

## THE BROWNING CHARTER

### The Safety Charter

Whatever the country they are supplied to, Browning guns come equipped with the "Gun Lock" and the "Trigger Lock".

Browning encourages and supports responsible gun owners, and offers other products in addition to guns, that are specifically geared towards safety in particular specially designed gun safes.

Browning guns are subject to the strictest standards of production and testing in the business (drop tests, etc.) The BACO standards constitute a very severe test.



### The Fthical Charter

The guns produced and marketed by Browning meet the ethical requirements of all of the different shooting disciplines. Browning hunting guns also comply with the art and the ethics of hunting, as well as with the laws of each country. Guns of an aggressive or paramilitary nature are not allowed.

All Browning products are manufactured in countries where human rights are guaranteed and which never use child labour.

### "Dealer Browning Partner" Exclusives

The products marked with this label are exclusive to the "Dealer Browning Partner." in U.K. (www.browningint.com)



### The Young Persons' Charter

Browning actively supports young shooters through its programme of sponsoring official "Browning" teams. Browning also carries out sponsorship operations on behalf of national shooting federations.

### The Craftsman's Charter

Hand made, using techniques that retain all the best aspects of the traditional methods, each gun produced by the "Custom Shop" at Herstal is unique.

The close ties that exist between Browning and the School of gunsmithing of Liege guarantee that these ageold skills will continue to be passed down for the benefit of future generations.



### The Consumers' Charter

The Browning name is synonymous of quality. All our firearms carry a 3 year warranty. The action frames of all Browning over-and-under shotguns are guaranteed for 10 years. Brownings' world-wide distribution network ensures that its customers receive a reliable, high quality of service, and guarantees that only original manufacturers' spare parts are used



### **Environmental Charter**

The environment is a constant concern for Browning.

This is demonstrated, for example, in Brownings' decision to restrict the use of toxic products in its production processes. All the cutting oil from our numerically controlled machines is filtered and reused within a closed circuit.

Brownings' back-bored barrels with interchangeable Invector Plus chokes allow the use of cartridges loaded with non-toxic shot, thus reducing lead pollution, in particular in wetland areas.

Browning cartridges are fitted with wads made of a special, photodegradable plastic material. Under the action of UV rays, this wad decomposes in a matter of months rather than the decades taken by traditional wads. Finally, with the aim of reducing visual pollution, Browning recommends that you pick up your empty cartridge cases, a simple gesture but an important one for the future of our sport.

### Opaline Label

We provide a 100% guarantee on the 10 following qualitative criteria:

- I. Using European walnut at least 150 years old.
- 2. With a hand-produced oil-rubbed finish.
- 3. With hand-cut checkering.
- 4. Wooden parts fitted by highly qualified craftsmen.
- 5. Action frames fitted using the lampblacking technique.
- 6. Pitch and twist of all stocks checked with millimeter precision.
- 7. Electronic measurement of ballistic performance and calculation of centre of gravity of the shot pattern.
- 8. Diameter and length of the firing pin checked with micron accuracy.
- 9. Trigger pull measured twice (once after mounting trigger assembly and again after the shooting test) to the nearest gram.
- 10. Supplied in a special carry case.

### **Dura-Touch Label**

Browning introduces Dura-Touch, a unique wood treatment, specially designed to improve the grip and the handling of your gun. Dura-Touch is also an exclusive finish that will perfectly protect the wooden parts of your gun against bad weather, as well as providing an exceptionally smooth and pleasing feel. This treatment will be offered on various guns in our range to allow you to derive even greater pleasure from using your Browning gun.

### Back-Bored • Invector

Guns equipped with back-bored barrels with Invector+ chokes will give a reduction in recoil, an improved shot pattern and an increased penetration velocity. (see page 33 for further details)













www.browningint.com




7






cartridges in the countryside, this gun is only provided with extractors, but

the ejection system can be fitted upon request.









This model has 76 cm long barrels, a 12 mm vented rib and fixed chokes, but also exists in 71 cm (Sporting 205) or 81 cm (Sporting 208) versions.


Its pistol grip stock and tulip fore-end are made of oil-rubbed European walnut. It is available in different grades with or without side-plates.








	B25	B25	B25	B25	B25	B25	B25
MODEL*	Sporting 205	Sporting 206	Sporting 207	Sporting 208	Trap 2	Trap Evolution 2	Skeet 105
BARRELS							
Calibre	12	12	12	12	12	12	12
Chamber	70 mm / 76 mm	70 mm / 76 mm	76 mm	70 mm	70 mm	70 mm	70 mm
Length	710 mm	760 mm	760 mm	810 mm	760 mm	760 mm	710 mm
Chokes	fixed	fixed	fixed	fixed	fixed	fixed	fixed
Ribs	ventilated 12 mm	ventilated 12 mm	ventilated 8 mm	ventilated 12 mm	ventilated 16 mm	ventilated 16 mm	ventilated 12 mm
STOCK (*)	pistol	pistol	pistol	pistol	pistol with anti-recoil	pistol with anti-recoil	pistol
Length	375 mm	375 mm	375 mm	375 mm	375 mm	375 mm	375 mm
Drop at comb	36 mm	36 mm	36 mm	36 mm	36,5 mm	36,5 mm	36 mm
Drop at heel	56 mm	56 mm	56 mm	56 mm	41 mm	41 mm	56 mm
FORE-END	tulip	tulip	tulip	tulip	semi-beavertail	semi-beavertail	semi-beavertail
TOTAL WEIGHT (**)	3,25 kg	3,35 kg	3,4 kg	3,5 kg	3,55 kg	3,5 kg	3,25 kg
FINISHING							
Action frame	blued or greyed	blued or greyed	blued or greyed	blued or greyed	blued or greyed	blued	blued or greyed
Wood	walnut, oil finished	walnut, oil finished	walnut, oil finished	walnut, oil finished	walnut, oil finished	walnut, oil finished	walnut, oil finished
SPECIAL		Engravings B11	, B12, B2G, C11,	C12, C2G, C2L, D	11, D12, D5G on "E	Box-lock" models.	
FEATURES	Engrav	ings II, MI, M2, E1	, Windsor Or and Rena	issance on side-plate	s models with 3 pie	ces fore-end and flu	ish pad
	Specific engravi	ng for model Gold 25	(Sporting 207) and Tra	ap Evolution 2 (+ Dis	connectable ejectors w	ith adjustable and rer	novable trigger)
OPTIONS	Pis	tol grip stock	on measuremer	ıts.	Stoc	k on measurem	ents
	C u s	tom guns. Seco	nd sets of bar	rels	Custon	n guns or pair	of guns





# Lebeau Courally

### The BSL side-by-side By Lebeau Courally


A traditional side lock action shotgun equipped with "Holland & Holland" type locks with double trigger and automatic ejectors. This gun, which is assembled and finished by Lebeau Courally, exists in 12 or 20 gauge versions and can be chambered to 2 3/4" or 3". The barrel lengths are 69 cm (20 gauge) or 71 cm (12 gauge). Two levels of engraved finish are offered: LC1, with a greyed action frame and decorative engraving or LC2, with a grey-tempered action frame, decorated with hunting scenes.



BSL Grade LCI



BSL Grade LC2



BSL Grade LC2

(\*) Average values

.22 Semi-Automatic rifle

is available in grades II, III and IV.

The best known and most copied .22 Semi-Automatic.

This gun is particularly light and efficient. The barrel is removed in a trice. Produced by the Custom Shop using original parts, it







### SEMI-AUTO .22

MODEL*	
BARRELS	
Length	490 mm
Calibre	.22 S or .22 LR
Rearsight	folding, adjustable in
	elevation
Frontsight	transversal
STOCK (*)	pistol
Length	345 mm
Drop at comb	30 mm
Drop at heel	67 mm
MAGAZINE	Tulip splinter
Туре	tubular in stock
Capacity without reducer	11 LR or 15 S
Capacity with reducer	9
TOTAL WEIGHT (*)	2,3 kg
FINISHING	satin varnish
Receiver	blued
Wood	gloss varnish
OPTIONS	Custom model
	Engravings Grades
	II and III

(\*) Average values

# SA.22 Hunting

# .22 SEMI-AUTOMATIC RIFLE



S.A .22 Grade 3,



S.A .22 Grade 3,



This is the luxury version of the BAR MKI, assembled in the Custom Shop. It is available in all the usual calibres in "Battue" or "Affût" versions.



# BMM African

# Hunting

### REPEATING RIFLES

# BMS

	BOLT ACTION RIFLES	BOLT ACTION RIFLES
MODEL	BMS	BMM
BARRELS		
Length	560 or 610 mm	640 mm
Calibre	(1)	(2)
Rearsight	adjustable hight and	2 sights
	direction	
Frontsight	red luminescent with	brass with
	foresight protection	foresight protection
STOCK (*)		
Length	370 mm	370 mm
Drop at comb	48 mm	48 mm
Drop at heel	63 mm	63 mm
MAGAZINE		
Туре	fixed	fixed - removable
Capacity	5 in standard calibre	
	3 in Magnum calibre	4
TOTAL WEIGHT (*)	3,6 to 4,1 kg	4,7 kg
FINISHING		
Receiver	greyed	colour hardened
Wood	walnut oil finished	walnut oil finished
SPECIAL FEATURES	Engravings : ALPINA	Engraved
	and EUROPE	bolt and receiver
	3 position safety;	
	Transversal bolt for	
	magazine bottom	
OPTIONS	Scope mounting	
	«Custom» guns	
·		

<sup>(\*)</sup> Average values

### **BMM** African

Based on the Mauser system and developed in conjunction with Ernest Dumoulin the great bolt-action specialist, this rifle has been oversized to adapt it to the African calibres : the diameter of the 3 lug rotary bolt has been increased to 19 mm. The reinforced breech box has been countersunk and prepared for scope mounting. The integral magazine can hold 4 cartridges and is equipped with a hinged floor plate with a transverse cut-off, exclusive to Browning. The Browning Mauser Magnum is notably manufactured in .416 Rigby, .500 Jeffrey and .505 Gibbs calibres.

MODEL	BAR ACIER Affût Std	BAR ACIER Affût Mag	BAR ACIER Battue		
BARRELS					
Length	550 mm	600 mm	550 mm		
Calibre	(1)	(2)	(3)		
Rearsight	LPA	LPA	battle rib		
Frontsight	front bead with	front bead with	red translucent		
	foresight protection	foresight protection			
STOCK (*)					
Length	351 mm	351 mm	351 mm		
Drop at comb	42,5 mm	42,5 mm	40,5 mm		
Drop at heel	52 mm	52 mm	49 mm		
MAGAZINE					
Туре	remova	ble maga	zine(**)		
Capacity	4 or 2 (***)	3 or 2 (***)	Std: 4 or 2 (***)		
			Mag: 3 or 2 (***)		
TOTAL WEIGHT (*)	3,5 kg	3,75 kg	Std : 3,5 kg		
			Mag : 3,7 kg		
FINISHING					
Wood	walnut	, satin	varnish		
CARACT PART.	4 threaded holes for scope mounting				
ACCESSORIES	Mounted : screw head for sling				
	Furnished	: pair of removable sl	ing surivels		
OPTIONS	Dispo. en	version Mk1 (limited	quantity)		
		Grades IV			

- (\*) Average values
- (\*\*) or fixed according to local legislation
- (\*\*\*) according to local legislation
- (1) .243 Win, .30-06 Sprg, .270 Win, .308 Win
- (2) .300 Win Mag, 7 mm Rem Mag, .338 Win Mag
- (3) .300 Win Mag, 7 mm Rem Mag, .338 Win Mag, .270 Win, .30-06 Sprg, .308 Win.

### **BMS**

This prestigious gun uses original FN components with a forged steel breech box and its long extractor bolt. The BMS exists in the most common calibres such as .270W, 30.06Sprg, .308, 7 mm RM, 300WM, .338WM and .375HH.



<sup>(1) 270</sup>Win, .30-06, .308 Win, .300WM, .338WM, .375HH

<sup>(2) 416</sup> Rigby, 500 Jeffrey, 505 Gibbs





Express CCS 25 "Custom" with side-plate engraving

Fitted with side plates, this rifle exists in a "Custom" version having 65 cm barrels with a battue-type rib and a folding "ear shaped" leaf rear sight. It has a 3 piece fore-end and a pistol grip stock with teardrops and with a hidden butt plate, in walnut specially selected for the direction of its grain. The CCS 25 exists in numerous calibres, such as .270W, .30-06, .30R Blaser, 7X65R, 8X57JRS, 9.2X62 and 9.3X74R. It is also available in a box-lock version with a wide selection of engravings.



This gun has been developed to meet the demands of the H&H .375 calibre cartridge that is very widely used for big game hunting and African safaris. Solid action frame with a reinforced lock, thickened 60 cm long barrels, pistol grip stock with an anti-recoil pad for increased comfort. This gun can be equipped with claw scope mounts upon request.



CCS 25 B2E



CCS 375 African

Herstal



CCS 25 D5G



BROWNING

CCS 25 Bavarian



CCS 25 MI

	EXPRESS	EXPRESS
HERSTAL	CCS 25	CCS 375
8x57JRS - 9,3x74R	.270W, .30.06,	375HH
	.30R Blaser, 7x65R,	
	8x57JRS, 9,3x74R.	
590 mm	610 or 650 mm	600 mm
battue, with pivot	battue	battue
mounting		
bead maillechort	bead maillechort	bead maillechort
fixed rearsight	folding	folding
pistol with anti-recoil	pistol	pistol with anti-recoil
370 mm	370 mm	366 mm
40 mm	40 mm	45 mm
62 mm	62 mm	70 mm
tulip	tulip	tulip
3,4 Kg	3,4 Kg	4,3 Kg
greyed	blued or greyed	blued or greyed
oil finished	oil finished	oil finished
Specific engraving	Engravings: B2E,	Specific engraving
	BAVARIAN, D5G, M1.	
	Flush pad on engraved	
	models M1 + GM 3 pc	
Scope mounting	Scope mounting	Scope mounting
_	Second set of barrels 20	Second set of barrels 20
	Double trigger	Stock to your
	Stock to your	measurements.
	measurements.	
	8x57JRS - 9,3x74R  590 mm battue, with pivot mounting bead maillechort fixed rearsight pistol with anti-recoil 370 mm 40 mm 62 mm tulip 3,4 Kg  greyed oil finished Specific engraving	8x57JRS - 9,3x74R .30.06, .30R Blaser, 7x65R, 8x57JRS, 9,3x74R.  590 mm 610 or 650 mm battue, with pivot mounting bead maillechort fixed rearsight pistol with anti-recoil pistol mm 370 mm 40 mm 62 mm 62 mm 62 mm 62 mm 101 mm 62 mm 62 mm 62 mm 62 mm 63 mm 64 mm 65

<sup>(\*)</sup> Average values




### Express Herstal Cal. 8 x 57 JRS or 9,3 x 74R

This version offers the quality of the CCS 25 adapted for large game. It includes a battue-type rib incorporating the fixing locations for the base of a universal pivot scope mount (allowing a scope to be mounted in a matter of minutes and at lesser cost), a pistol grip stock with an insert type anti-recoil pad and a tulip fore-end made from beautiful French walnut with an oil-rubbed finish. Medallion engraving featuring boar and deer, grey-tempered action frame. Only exists in calibre 8X57|RS and 9.3X74R.









### THAT SOMETHING THAT MAKES THE DIFFERENCE

Black, 100% recyclable polypropylene carry case marked with the Browning logo in gold colour.



# Large sized bolt

The bolt is large and made of one piece.

It is adjusted to suit the action frame that receives it to guarantee play-free action.

The bolt is adjusted to bear at precisely where it should: on the bottom face of the groove of the barrel locking lug.

The bolt lever is adjusted in such a way that the shooter can tell from its angle to the line of sight that the bolt is bearing correctly and is not fully closed.



# Z Positive, powerful ejection

Cartridges are ejected by means of a hammer-operated mechanism, the only system which guarantees positive, powerful and regular ejection. Only spent cartridges are ejected, thanks to an ingenious system of rods operated by the hammers as they drop.



# 3

### **Chrome-plated barrels**

Barrels are chrome-plated internally : for hunting under the worst conditions...



### 4

### Highly durable hinge pin

The hinge pin is made of one piece and has a large surface area which ensures that the sliding and rotation forces induced during opening and closing are evenly distributed, thus ensuring maximum resistance to wear.



### Forged steel action frame

The action frame is machined from a block of forged steel. It is able to resist pressures several times greater than those actually used in the Belgium Proof House at Liege.



### Single selective trigger

The single selective trigger allows you to select the upper or lower barrel for the first cartridge

# THE PINNACLE OF ACHIEVEMENT IN UNDER AND OVER SHOTGUN DESIGN

In 2003, Browning is launching a hunting version of the B525 Classic, the 5th generation of the original under-and-over shotguns designed by John Moses Browning.

This model retains all the characteristics that have made Browning under-and-over shotguns the most appreciated guns in the market.

Its handling, its balance and its reliability testify to the care taken by Browning in the making of its guns. The B525 Classic combines the very best of the traditional gun maker's craft with the most advanced production techniques.

For the B525 Classic, Browning has gone even further, to ensure that each hunter experiences greater satisfaction when using its guns. A great deal of work has gone into the firing mechanism, to improve its accuracy while at the same time retaining all the unique safety features associated with Browning guns. Particular attention has been paid to the finish of the wooden elements and the checkering has been redesigned for improved handling. The barrels have been revised to enable all "invector" models to fire steel shot cartridges, as guaranteed by means of a test certified by the Liege Test Bench (BEL) label. Finally, the design of the action frame incorporates a small shell on the top, giving it a particular elegance and a unique identity within the Browning range.

# Firing

The new, more direct firing system gives you a more precise, safer and more consistent shot.

### 8 Wood and checkering

A choice of woods and new, higher quality finishes. Ideally situated checkered areas ensure accurate and comfortable handling.



The top of the action frame incorporates a shell that gives this model a certain elegance and makes it special.

### OVER-AND-UNDER SHOTGUNS







**B525 Classic 12 Gauge Magnum Prestige Gr 5** 

The charm of the Prestige (Gr 5) is more discrete. The fit of the barrels, the engraving and the very attractive old silver colour of its action frame make this an elegant gun of the best possible taste. It comes in an Opaline case. This model has a stock with teardrops, and a multi-purpose 3" Magnum barrel like that of the Gr I.

### B525 Classic 12 Gauge Magnum Gr I

The multi-purpose gun par excellence as it incorporates a 3" barrel that can fire both 70 mm (2 3/4") and 76 mm (3") cartridges, while at the same time being low in weight for the comfort of the shooter.



Only B525s equipped with an invector choke are tested for steel shot.



B525 Classic Elite Grade 3




B525 Classic Elite Grade 3



B525 Classic Prestige Grade 5



B525 Classic Prestige Grade 5





### OVER-AND-UNDER SHOTGUNS

B525 Classic Cal 20M Gr I

B525 Classic Cal 20M Gr I

This model represents the traditional compromise between efficiency and weight. A steel 20 gauge action frame and barrels chambered for 3" Magnum allow optimum efficiency while keeping the weight deliberately low, which is a considerable advantage during a long day's hunting.





	B525
MODEL	Hunting/Hunter
BARRELS	
Calibre	20 M
Chamber	76 mm
Length	660 - 710 mm
Chokes	fixed / Invector
Top Rib	ventilated 6 mm
STOCK (*)	Pistol
Length	375 mm
Drop at comb	36 mm
Drop at heel	56 mm
FORE-END	Tulip
TOTAL WEIGHT (*)	2,9 kg
FINISHING	
Action frame	greyed
Wood	satin
OPTIONS	FINISH : Elite
CHOKES	Hunter model : Invector
	std 1/4 - 3/4 mounted
	1/2 - full and key supplied

(\*) Average values





B525 Classic Cal 20 Elite Gr 3



B525 Classic Cal 20 Elite Gr 3

**B525 Classic 20 Gauge Magnum Elite Gr 3** 

Particular attention has been paid to the choice of wood, the finish of the action frame and the type of engraving (incorporating new game scenes), all of which give this model a refined elegance while retaining the advantages of the basic model.






All of the developments introduced with each new generation of Browning light models are incorporated in the B525 Light which constitutes the ultimate synthesis of efficiency, weight and good looks. An action frame made of a lightweight "Aircraft" grade alloy reinforced with high strength steel inserts, a suitably profiled barrel and a suitable choice of wood and form result in a lightweight gun with perfect handling and balance, as well as an unequalled elegance, further enhanced by game scene engravings.



B525 Classic Light Cal 12 Gr I



B525 Classic Light Cal 12 Gr 1



MODEL	Hunting/Hunter
BARRELS	
Calibre	12 M
Chamber	70 mm
Length	660 - 710 mm
Chokes	fixed / Invector
Top Rib	ventilated 6 mm
STOCK (*)	pistol
Length	375 mm
Drop at comb	36 mm
Drop at heel	56 mm
FORE-END	Tulip
TOTAL WEIGHT (*)	2,85 kg
FINISHING	
Action frame	greyed
Wood	oil finished
OPTIONS	Inletted swivel bases
CHOKES	Hunter model : Invector
	std 1/4 - 3/4 mounted
	1/2 - full and key supplied

B525 light

<sup>(\*)</sup> Average values

### OVER-AND-UNDER SHOTGUNS



### B425 Light 20M

This gun represents a perfect combination of lightness, looks and strength. Its action frame is made of 7075 alloy with a stainless steel toner insert. Its new, narrower, tulip fore-end and semi pistol grip stock make this a particularly ergonomic gun.

### B425 Elite Light 28

Sober and elegant: a new, original engraving, meticulously selected walnut with an oil-rubbed finish make this an ideal compromise between traditional looks and personality. This gun will provide maximum pleasure by allowing you to attempt a novel experience: sporting clays with a 28!

### B425 Elite Light 410

Let yourself be seduced by the surprising efficiency of the famous B425 shotgun in its .410 gauge version. This gun combines high performance with a brand new stock and a new fore-end, which give it very a fluid line and great finesse. This shotgun also has a new, profiled rib.



Engraving B425 Light Elite 28 and .410

### OVER-AND-UNDER SHOTGUNS





A " fine " firearm in the true sense of the word, the Privilege is one of the key products of Browning's know-how. The walnut used is a 4 star quality wood that is then oil rub finished by hand. The side-plate engraving combines deep engraving, decorative motifs and game scenes. This gun comes in an Opaline case.



**B425** Esprit luxe



B425 Esprit dog



B425 Esprit luxe



B425 Esprit dog

	B425	B425	B425	B425	B425 light	B425
MODEL*	Privilege	Privilege	Esprit	Esprit Luxe	Woodcock	Special Waterfowl
BARRELS						
Calibre	12	20 M	12	12	12	12 M
Chamber	70 mm	76 mm	70 mm	70 mm	70 mm	76 mm
Length	710 - 760 mm	710 - 760 mm	710 - 760 mm	710 - 760 mm	610 mm	710 - 760 mm
Chokes	1/4 - 3/4	1/4 - 3/4	fixed / Invector	Invector	Rifled + Invector	Invector Plus
Top Rib	ventilated 6 mm	ventilated 6 mm	ventilated 6 mm	ventilated 6 mm	interupted	ventilated 6 mm
STOCK (*)	pistol	pistol	swan neck	swan neck	pistol	rounded pistol
Length	375 mm	375 mm	375 mm	375 mm	375 mm	375 mm
Drop at comb	36 mm	36 mm	38 mm	38 mm	36 mm	38 mm
Drop at heel	56 mm	56 mm	58 mm	58 mm	56 mm	52 mm
FORE-END	tulip	tulip	tulip	tulip	tulip	rounded
TOTAL WEIGHT (*)	3-3,1 kg	2,85-2,9 kg	3,1-3,2 kg	3,1-3,2 kg	2,9 kg	3,4 kg
FINISHING						
Action frame	greyed	greyed	Removable plates	Removable plates edged	greyed	greyed
			greyed	with 24 carat gold		
Wood	oil finished	oil finished	oil finished	oil finished	oil finished	Dura Touch
OPTIONS			Blank	plates		
CHOKES			Hunter model : Invect	or Std 1/2 - 1/1 mounted,		

Inv. 1/4 and key supplied

- (\*) Average values
- (\*\*) Fixed chokes for Hunting model; Invector for Hunter / Invector Plus for Waterfowl model



B425 Special Waterfowl 12Mag

Designed for intensive use in natural aquatic environments, the Waterfowl will follow you on your duck and goose hunting expeditions with less risk of damage. Its stock is protected with the new Dura-Touch. It is chambered for 3" cartridges, and its barrel can accept steel shot and high load cartridges without any problem. The 62 mm "Invectors Plus" Chokes ensure the best ballistic efficiency.

Opaline case

Developed exclusively for our OPALINE label,
this superb case with its laminated structure and highly resistant polymer-coated fabric finish is fitted with two
combination locks Providing perfect protection when transporting
your gun, it combines modern design and refined elegance

### SEMI-AUTOMATIC SHOTGUNS





Stock: the more marked cheek piece and asymmetric pistol grip guarantee a gun of unmatched ergonomic quality.



Easy-to-reach transverse safety lever, reversible to suit left-handed shooters



### Easy to maintain

A Trigger assembly removed simply by popping out two pins from the receiver for quick and easy cleaning of the mechanism.



### Flowing lines

The narrower fore-end with a particularly well designed shape and magazine plug make this a flowing and extremely elegant gun.



New sighting rib and optical fibre fore sight for an unequalled quality of shot. Set of 6 interchangeable optical fibre foresights provided.



### "BACK-BORE"

Browning reveals the professionals' secret: back-bored barrels.

First used in 1992, back-boring is a technical breakthrough that has allowed our

shooters to win numerous medals.

Better impact and higher velocities for improved shooting accuracy. A "back-bored" barrel is one whose internal diameter (the bore diameter) has been increased beyond traditional specifications.

### Increased penetration velocity

Back-boring ensures that there is less friction between the shot and the wall of the barrel. Instead of having to overcome friction, more of the energy generated by the gunpowder gasses serves to propel the cartridge, thus increasing the velocity of the load

The shot retains its ballistic quality.


The force of contraction or the pressure exerted by the barrel wall on the load is reduced, thus reducing the number of deformed pellets fired.


### Improved shot pattern

The ballistic characteristics are improved and you achieve exceptionally uniform shots with many more effective pellets hitting the target.

### Reduced recoil

A reduction in recoil means improved shooting comfort. In a back-bored barrel, the load passes more easily reducing the amount of recoil felt by the shooter, thus improving his shooting comfort.





# THAT SOMETHING THAT MAKES THE DIFFERENCE

### Other accessories provided:


- I. Stock care oil
- 2. Trigger guard lock for increased safety
- 3. 50 mm barrel extension











Fully adjustable stock Quick and easy to adjust to your measurements thanks to the 6 inserts provided.



Works perfectly with 24 to 57 g. cartridges.



Magazine cut-off for quick load switching. When engaged, this device is able to block the cartridges in the magazine so as to only load the cartridge located in the chamber.

It also has the advantage of enabling you to keep the breech of your fusion open with cartridges in the magazine by engaging the cut-off and ejecting the cartridge contained in the chamber.

To quickly reload, release the cut-off and the breech will move forward to feed a new cartridge in the chamber.



### **EXCLUSIVE**

The "Speed-loading" system allows you to load more quickly. With the breech in the rear-most position, simply slide a shell into the magazine and it is automatically sent to the chamber, ready to fire.



An extra flat carry case allows you to easily carry all the accessories you need with you, and thus perfectly adapt the gun to all hunting conditions.

### SEMI-AUTOMATIC SHOTGUNS




# BROWNING: THE INVENTOR OF THE SEMI-AUTOMATIC SHOTGUN

Fusion Ultimate 12 M

A superb deluxe version of the Fusion. Anthracite grey receiver, finely engraved and edged with 24 carat gold edging and a very attractive oil-rubbed walnut stock and fore-end.





Fusion Ultimate 12 M

Fusion Ultimate 12 M





The more marked cheek piece, the more pronounced pistol grip, the longer, narrower fore-end all make for exceptional handling. Its new shape and new sighting rib give it ideal balance. All the receivers are countersunk for mounting a scope. The very high quality European walnut has an oil-rubbed finish. Accurately shoots all cartridges from 24 to 57g thanks to a regulating valve incorporated within the gas operated mechanism.

Its new back bored barrel allows it to shoot all cartridges available on the market without exception, even steel shot cartridges. This I2M gauge shotgun only weighs 2.9 kg.

The new Grade 3 Fusion uses specially selected Turkish walnut with an oil finish, featuring superb chequering.

### Fusion Cal 20 M

The Fusion range is being expanded in 2003 with the introduction of the Fusion 20M. In addition to the qualities of the 12 gauge, the Fusion 20M also provides lightness and ease of handling The narrower receiver has been scaled to suit the gauge. The quality of the shot pattern is ensured by the 62 mm long Invector Plus chokes. The 3" chambering of this gun allows it to fire all 20 bore cartridges, regardless of length or load.



Fusion Ultimate 20 M



Fusion Ultimate 20 M

	FUSION	FUSION	FUSION	FUSION
MODEL	Ultimate 12 M	12 M & 12 M Grade 3	Ultimate 20 M	20 M
BARRELS				
Calibre	12 M	12 M	20 M	20 M
Chamber	76 mm	76 mm	76 mm	76 mm
Length	660 - 710 - 760 mm	660 - 710 - 760 mm	660 - 710 mm	660 - 710 mm
Chokes	Invector Plus	Invector Plus	Invector Plus	Invector Plus
Ribs	6 mm	6 mm	6 mm	6 mm
STOCK (*)				
Length	370 mm	370 mm	365 mm	365 mm
Drop at comb	35 mm	35 mm	36 mm	35 mm
Drop at heel	57 mm	57 mm	60 mm	60 mm
MAGAZINE				
Туре	tubular aluminium	tubular aluminium	tubular aluminium	tubular aluminium
Capacity without reducer	4 (3 in 76 mm)			
Capacity with reducer	2	2	2	2
(cart.70 mm)				
TOTAL WEIGHT (*)	2,9 / 3 kg	2,9 - 3 kg	2,8 kg	2,8 kg
FINISHING				
Receiver	engraving, Ni, Anthracite gray	anodized, black varnish	engraving, Ni	anodized, black varnish
Wood	luxe walnut, oil finished	walnut, oil finished	luxe walnut, oil finished	walnut, oil finished
SPECIAL FEATURES	Light alloy receiver	Light alloy receiver	Light alloy receiver	Light alloy receiver
	with magazine cut-off	with magazine cut-off	with magazine cut-off	with magazine cut-off
	chrome-plated barrels	chrome-plated barrels	chrome-plated barrels	chrome-plated barrels
		machined dovetails on		
		top of receiver		
ACCESSORIES	inletted swivel bases	inletted swivel bases	inletted swivel bases	inletted swivel bases
	Invector Plus mounted: 1/2			
	supplied: 1/4 - 3/4 - full			
	- exterior 50 mm	• •	• •	• •
	6 inserts for stock adjustment	6 inserts for stock adjustment	3 inserts for stock adjustment	3 inserts for stock adjustment
	Set of 6 interchangeable			
	optical fibre foresights	optical fibre foresights	optical fibre foresights	optical fibre foresights
	Stock care oil	Stock care oil	Stock care oil	Stock care oil

<sup>(\*)</sup> Average values

### SEMI-AUTOMATIC SHOTGUNS



## BROWNING: THE INVENTOR OF THE SEMI-AUTOMATIC SHOTGUN

#### **Fusion Combo**

INVECTOR+



The aim of the Fusion Combo is provide a gun that can be adapted to any type of hunting, all in one kit. It consists of a Fusion 12M with a countersunk receiver, a 71 cm barrel, a Slug barrel and a 50 mm choke extension. Like all Fusions, it comes with many accessories.


	Michigan Company	Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner,
		GOLD
。 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	MODEL	Hunter 3 1/2"
	BARRELS	
The state of the s	Calibre	12 3 1/2"
	Chamber	89 mm
	Length	710-760 mm
	Chokes	Invector Plus
	Ribs	ventilated 6 mm
	STOCK (*)	
	Length	362 mm
	Drop at comb	41 mm
	Drop at heel	45 mm
	MAGAZINE	
	Туре	tubular chrome
	Capacity without reducer	4 (3 in 76 mm)
	Capacity with reducer	2
	TOTAL WEIGHT (*) FINISHING	3,4-3,6 kg
	Receiver	
The state of the s	Wood	
100 mm	vvood	

Fusion Slug Cal 12

The Fusion range has been increased in 2003 with the addition of the Fusion Slug 12 Gauge. This special slug version is equipped with a chromed 3" barrel with a full-length riffled bore. The sighting system has been designed to provide an accurate aim in any weather and any lighting conditions. It includes an adjustable rear sight and an optical fiber front sight. The pitch of the stock is adjustable and the gun is supplied with a set of sling swivels.

	GOLD	GOLD LIGHT	FUSION	N .	FUSION
MODEL	Hunter 3 1/2"	Cal 10	3" Combo		Slug
BARRELS			x 2		
Calibre	12 3 1/2"	10	12 M		12
Chamber	89 mm	89 mm	76 mm	ı	76 mm
Length	710-760 mm	710 mm	710 mm	610 mm	610 mm - rifled
Chokes	Invector Plus	Invector Plus	Invector Plus	rifled	-
Ribs	ventilated 6 mm	ventilated 8 mm	6 mm rear/fro	nt sights	rear and front sights
STOCK (*)					
Length	362 mm	362 mm	370 mn	n	370 mm
Drop at comb	41 mm	41 mm	35 mm	1	35 mm (**)
Drop at heel	45 mm	47 mm	57 mm		57 mm (**)
MAGAZINE					
Туре	tubular chrome	tubular chrome	tubular alum	inium	tubular chrome
Capacity without reducer	4 (3 in 76 mm)	4 (3 in 76 mm)	4 (3 in 76	mm)	4 (3 in 76 mm)
Capacity with reducer	2	2	2 2		2
TOTAL WEIGHT (*)	3,4-3,6 kg	4,4 kg	2,9 - 3 l	(g	3,1 kg
FINISHING					
Receiver			anodized, black	varnish	anodized, black varnish
Wood			walnut, oil fi	nished	walnut, oil finished
SPECIAL FEATURES	Light alloy receiver v	vith magazine cut-off	Light alloy re	eceiver	Light alloy receiver
	Chrome-pl	ated barrels	with magazine	cut-off	with magazine cut-off
		: 2 additional tubes and ped wrench.	Chrome-plated	l barrels	Chrome-plated barrels
OPTIONS	CAMO model		machined dove	etails on	machined dovetails on
			top of rece	iver	top of receiver
ACCESSORIES	Mounted : head fo	or front sling swivel	Inletted swive	l bases	Mounted : head for
	Furnished: scre	ew head for rear	Invector Plus mou	inted: 1/2	front sling swivel
	swivels and remo	vable pair of rings	Supplied: 1/4	- 3/4 -	Furnished: screw head
		1 0	full - exterior		for rear swivels and
			6 inserts for stock	adjustment	removable pair of rings
			Set of 6 interch	angeable	
			optical fibre fo	_	stock height(**)
			Stock care	oil	· ·

- (\*) Average values
- (\*\*) Average value with adjustable stock system (spacer n°2) • Spacer n°1 = 34-53 mm Spacer n°3 = 36-61 mm



## EXPRESS RIFLES



	CC3 323
MODEL	
BARRELS	
Calibre	8 x 57 JRS
	9,3 x 74 R
Length	560 mm
SIGHTS	
Frontsight	fibre optic
Rearsight	battue rib
STOCK(*)	Hog's back - The Bavarian
	cheek piece
Length	370 mm
FORE-END	tulip
TOTAL WEIGHT (*)	3,1 kg
FINISHING	
Action frame	greyed
Wood	satin varnish
SPECIAL FEATURES	animal engravings



#### **CCS 525**

Browning has been the leading producer of express under and over rifles for decades. With the introduction of the CCS 525 in the 525 range, Browning wanted to provide the demanding hunter with a gun that is attractive, while at the same time guaranteeing flawless operation and unequalled accuracy, and that can be easily adjusted to receive the different types of cartridge available on the market.















# BROWNING HAS REINVENTED THE EXPRESS RIFLE.

The barrels, the essential part of this gun, are both traditional and original. A spacer on the upper barrel ensures the accuracy of the vertical convergence of the barrels, while lateral convergence is ensured by the design of the barrel itself, which incorporates a unique "Cradle" strip. Once the ammunition has been chosen, a spacer ring is recommended and inserted securely under the foresight on the upper barrel, guaranteeing unequalled accuracy. (\*).

The weight and balance are perfect for current hunting conditions.

The action frame has been strengthened by means of high strength stainless steel inserts.

Very special attention has been paid to every detail of this gun: a "hog's back" stock with a Bavarian cheek piece, an accentuated tulip-shaped forearm for greater elegance, a fluorescent optical fibre foresight and a traditional battue rib allowing a scope to be mounted by a gunsmith in minimum time. The animal engravings with which it is decorated make this a very special and unique rifle.

(\*) It is essential that this operation is carried out by your gunsmith.



SEMI-AUTOMATIC RIFLES



Browning recommends the use of ammunition by Browning and Winchester



\* TONIS SEUSSIN





In 1966, Browning launched the BAR (Browning Automatic Rifle) that was to quickly become THE market reference. In spite of severe but often ineffective, competition, the BAR became the leading semi-automatic rifle in Europe.

In 2002, in close collaboration with Winchester, Browning developed the WSM (Winchester Short Magnum) calibres, combining the power and the accuracy of classic "magnum" calibres with a smaller cartridge.

In 2003, Browning is launching the BAR **SHORTTRAC**, the first semi-automatic rifle on the market to be developed specially for WSM calibres. The smaller dimensions of the WSM cartridges have made it possible to create a lightweight, compact gun that guarantees "Magnum" performance.

The BAR **SHORTTRAC** incorporates all the experience of the BAR gained by our Research and Development departments over a period of almost 40 years for your maximum satisfaction.

- MENTEN ...

## BAR SHORTTRAC

SEMI-AUTOMATIC RIFLES



Browning recommends the use of ammunition by Browning and Winchester



MODEL	BAR
BARRELS	Short Track
Calibre	
	270 WSM
	7 mm WSM
Length	300 WSM
	510 mm
SIGHTS	
Frontsight	
Rearsight	Adjustable fibre optic
3.75	Adjustable
STOCK	battue rib
Length	
MAGAZINE	351 mm
Туре	
Capacity	removable magazine**
TOTAL WEIGHT*	2
FINISHING	3,25 kg
Receiver	
Wood	light alloy
SPECIAL	oil finished
FEATURES	4 threaded holes for
_	scope mounting
ACCESSORIES	
	6 spacers for
	adjusting stock height
	11.0.9.16

<sup>(\*)</sup> Average values (\*\*) or fixed according to local legislation





- 3. Highly compact, making it easier to swing the gun and keep the prey in your sights.
- 4. An aircraft grade aluminum alloy receiver, plus a trigger assembly and magazine floor plate made of com-5.
- An adjustable stock to adapt the gun to suit your preferences and your build, for maximum comfort. 6. Wooden elements in keeping with the rifle's resolutely modern design.
- 7. Perfect handling, for a smooth mount and a fast aim.
- 8. An ergonomic magazine catch allowing easy access to the hinged magazine holder and easier loading. 9. A bolt catch allowing cartridges to be quickly and safely loaded into the chamber.
- 10. A cold-hammered barrel produced by FN Herstal in Belgium, the guarantee of perfect accuracy.
- 11. A vertically adjustable battue rib and a front sight with crosswise adjustment guarantee absolute



## SEMI-AUTOMATIC RIFLES







In its battue version, the BAR Light is the absolute weapon. Easy to mount and incredibly accurate, all it needs is a hunter with the reflexes to match.



Fibre optic front sight of unequalled brightness.



The seven lug rotating bolt is the key to the BAR's strength and reliability.



This model is designed to provide still hunters the pleasure of a light, reliable and extremely accurate gun.

## THE BEST KNOWN SEMI-AUTOMATIC RIFLE IN THE WORLD

#### **Bar Evolve**

The shaped Monte Carlo stock, the more marked pistol grip and the narrower tulip fore-end will ensure excellent handling and incomparable comfort.

Particular care has also been taken in the selection and finish of the wood, most particularly the magnificent "Scottish" checkering.



Fore-end for better handling, all enhanced with a magnificent "Scottish" checkering.



- The Monte Carlo stock provides unequalled shooting comfort, even when using a scope.
- The grip of the stock is much more marked for a better hold.

	BAR BAR B		BAR
MODEL	Evolve	Light Battue	Light Affût
BARRELS			
Length	510 mm	510 mm	510 mm
Calibre	(1)	(2)	(3)
Frontsight	red fibre	red fibre	front bead with
	optic	optic	foresight protection
Rearsight	adjustable	adjustable	LPA
	battue rib	battue rib	
STOCK (*)			
Length	351 mm	351 mm	351 mm
Drop at comb	40,5 mm	40,5 mm	40,5 mm
Drop at heel	49 mm	49 mm	49 mm
MAGAZINE			
Туре	remov		z i n e(**)
Capacity Std	4 or 2 (***)	4 or 2 (***)	4 or 2 (***)
Capacity Mag	3 or 2 (***)	3 or 2 (***)	3 or 2 (***)
TOTAL WEIGHT (*) Std	3.15 kg	3.15 kg	3.15 kg
TOTAL WEIGHT (*) Mag	3.35 kg	3.35 kg	3.35 kg
FINISHING			
Receiver	light alloy	light alloy anodized	light alloy anodized
	grey receiver	black satin varnish	black satin varnish
	walnut oil finished	walnut satin varnish	walnut satin varnish
Wood			
SPECIAL FEATURES	4 threade	d holes for scope	e mounting
ACCESSORIES	Mount	ed : screw head	for sling
	Furnished: pair of removable sling swivels		

<sup>(1) 7</sup>x64, 30-06 Sprg, .270 Win, .300 Win Mag, 7 mm Rem Mag, 9,3x62

(\*\*\*) according to local legislation



Adjustable battue-type rib. Its truncated rib affords you a better view of the target. A fine white stripe perfectly guides your eye to the target.



The receiver is drilled and tapped for scope mounting.



Fixed or removable hinged magazine holder according to regulations applying. The bolt release lever facilitates fast and easy loading. Simply close the loaded magazine and depress the bolt release lever, and the cartridge is automatically delivered to the chamber.

<sup>2) 30-06</sup> Sprg, .270 Win, .300 Win Mag, 7 mm Rem Mag, 35 whelen

<sup>(3) 30-06</sup> Sprg, 308 Win, 300 WM

<sup>(\*)</sup> Average values

<sup>(\*\*)</sup> or fixed according to local legislation

## SEMI-AUTOMATIC RIFLES

## **Bar Light Battue Prima**

The finish of the receiver, including a very beautiful engraving, the materials and the techniques used, the colour of the surface treatment, all contribute to make this gun a very successful combination of class and discretion. But the design also expresses itself in the technical performance: the hog's back stock with a very fine Bavarian cheek piece will work wonders when shooting through open sights and even more so when using a scope.





BARKELS			
Length	510 mm	510 mm	510 mm
Calibre	(1)	(2)	(3)
Rearsight	Adjustable	Adjustable	Adjustable
	battue rib	battue rib	battue rib
Frontsight	red fibre optic	red fibre optic	red fibre optic
STOCK (*)			
Length	349 mm	349 mm	349 mm
Drop at comb	48 mm	40,5 mm	40,5 mm
Drop at heel	80 mm	49 mm	49 mm
MAGAZINE			
Туре	removable magazine	removable magazine	removable magazin
Capacity Std	4 or 2 (**)	4 or 2 (**)	4 or 2 (**)
Capacity Mag	3 or 2	2	2
TOTAL WEIGHT (*) Std	3,15 Kg	3,15 Kg	3,15 Kg
TOTAL WEIGHT (*) Mag	3,35 kg	3,35 kg	3,35 kg
FINISHING			
Receiver	Old silver + satin	light alloy	light alloy,
	black anodized	grey receiver with	anodized black
	receiver	gold subjects	satin varnish
Wood	walnut oil finished	walnut oil finished	composite + Dura Touc
SPECIAL FEATURES	4 threaded	holes for scope	mounting
ACCESSORIES	Mounted	d: screw head f	or sling
	Furnished: pa	air of removable	sling swivels
OPTIONS			Affut model
			available

Light Battue Prima Light Battue Luxe

Bar Light Battue Prima

BAR

BAR

Light Stalker

- (1) 270 Win, 7x64, 7 mm Rem Mag, 30-06 Sprg, 300 WM
- (2) 270 Win, 30-06 Sprg, 300 WM
- (3) 30-06, 7 mm Rem Mag, 300 WM
- (\*) Average values
- (\*\*) or fixed according to local legislation

## THE BEST KNOWN SEMI-AUTOMATIC RIFLE IN THE WORLD



# Bar Light Battue Luxe This model has been produced to answer the demands of those who no longer wish to have to choose between functionality and looks. With its nickel-plated old silver receiver and its animal motif engraving and believe the first 24 and the first silver depends of all public of the first silver depends of the first si

This model has been produced to answer the demands of those who no longer wish to have to choose between functionality and looks. With its nickel-plated old silver receiver and its animal motif engravings embellished with fine 24 carat gold subjects, its wood made of oil-rubbed European walnut, the Bar Light Deluxe is truly an object of great beauty. It comes in an Opaline carry case that will certainly not disgrace it.



The Bar light requires no introduction. This new version, with its composite stock and fore-end is virtually indestructible. When hunting in the undergrowth, it will be less likely to damage.

## SEMI-AUTOMATIC RIFLES





#### Reduced recoil

The BOSS™ system allows the bullet to leave the barrel at the ideal moment, i.e. in the "peak" or the "valley" of the vibration wave when the muzzle is virtually motionless.



#### **Improved accuracy**

The BOSS™ system allows the rifle to be quickly adjusted to the desired load. Each barrel equipped with the BOSS™ is marked with 10 incremental markings, and a table of average settings is supplied for each calibre.

## THE BEST KNOWN SEMI-AUTOMATIC RIFLE IN THE WORLD



#### **Bar Acier Battue**

With its more compact barrel, its battue type rib and its fluorescent fore sight, this gun is exceptionally effective and easy to handle in battue or stalking situations.





MODEL*	BAR ACIER Affût standard	BAR ACIER Affût magnum	BAR ACIER Battue
BARRELS			
Length	550 mm	600 mm	550 mm
Calibre	(1)	(2)	(3)
Rearsight	LPA	LPA	battue rib
Frontsight	front bead with	front bead with	red translucent
	foresight protection	foresight protection	
STOCK (*)			
Length	351 mm	351 mm	351 mm
Drop at comb	42,5 mm	42,5 mm	40,5 mm
Drop at heel	52 mm	52 mm	49 mm
MAGAZINE			
Туре	re	emovable magazine (*	*)
Capacity	4 or 2 (***)	3 or 2 (***)	Std: 4 or 2 (***
			Mag: 3 or 2 (**
TOTAL WEIGHT (*)	3,5 kg	3,75 kg	Std : 3,5 kg
			Mag: 3,7 kg
FINISHING			
Receiver	blued steel	blued steel	blued steel
Wood	walnut	, satin v	arnish
SPECIAL FEATURES	4 threaded	holes for scop	e mounting
ACCESSORIES	Mounted	l: screw head t	for sling
	Furnished: pa	ir of removable	sling swive
OPTIONS	Boss system	Boss system	Grade III
	30-06, 308	.300 WM338 WM	

- (1) .243 Win, .30-06 Sprg, .270 Win, .308 Win
- (2) .300 Win Mag, 7 mm Rem Mag, .338 Win Mag (3) .300 Win Mag, 7 mm Rem Mag, .338 Win Mag,
- .300 Win Mag, 7 mm Rem Mag, .338 Win Mag
   .270 Win, .30-06 Sprg, .308 Win.
- (\*) Average values
- (\*\*) or fixed according to local legislation
- (\*\*\*) according to local legislation



This version is fitted with a vertically and horizontally adjustable rear sight. The fine metal foresight ensures a perfect accuracy of aim.

## REPEATING RIFLES







Underneath the fore-end is the key to the unique reliability, accuracy and good looks of the Dualis. No part is in contact with the barrel which is thus free floating. Its 2 dimensional movement is perfectly ergonomic.



MODEL	
BARRELS	
Length	510 mm
Calibre	.300 WM, 30-06 Sprg,
	7 RM, .270 Win, .308 Wir
Rearsight	Adjustable battue rib
Frontsight	red fibre optic
STOCK (*)	
Length	351 mm
Drop at comb	48 mm
Drop at heel	72 mm
MAGAZINE	
Туре	removable magazine
Capacity	Standard: 4
	Magnum: 3
TOTAL WEIGHT (*)	Standard: 3,2 kg
	Magnum: 3,4 kg
FINISHING	
Receiver	light alloy, anodized
Wood	walnut, satin varnish
SPECIAL FEATURES	4 threaded holes for
	scope mounting
ACCESSORIES	Mounted : screw head
	for sling
	Furnished : pair of
	removable sling swivels

<sup>(\*)</sup> Average values



New drop-down magazine. It's asymmetric design allows extremely quick and accurate pointing

	BLR Lightning	BLR Lightning	BLR Lightning	BLR Lightning
MODEL	Affut	Affut	Affut	Battue
BARRELS				
Length	510 mm	560 mm	610 mm	740 mm
Calibre	(1)	(2)	(3)	(4)
Rearsight	adjustable	adjustable	adjustable	battue rib
Frontsight	gold plated w/ base plate	gold plated w/ base plate	gold plated w/ base plate	Fluorescent
STOCK (*)				
Length	349 mm	362 mm	362 mm	362 mm
Drop at comb	25 mm	25 mm	25 mm	25 mm
Drop at heel	25 mm	25 mm	25 mm	25 mm
MAGAZINE				
Туре	removable magazine	removable magazine	removable magazine	removable magazine
Capacity	4	4	3	3
TOTAL WEIGHT (*)	2,95 kg	3,29 kg	3,5 kg	3,4 kg
FINISHING				
Receiver	black anodized	black anodized	black anodized	black anodized
Wood	gloss varnished	gloss varnished	gloss varnished	gloss varnished
SPECIAL FEATURES	Folding d	own hammer	in half-cock	position

- (\*) Average values
- (1) 22-250 Rem, .243 Win, .308 Win (2) .270 Win, 30-06 Sprg, .308 Win

Particularly ergonomic release lever. Simply press to unload instantly

- (3) 7 mm Rem Mag, 300 WM (4) 7 mm Rem Mag, 300 WM

## ABSOLUTE SPEED



Adjustable "Battue" type rib. Its truncated rib affords you a better view of the target. A fine white stripe perfectly guides your eye to the target.



Fibre optic front sight:
New, increased brightness for more accurate and faster battue shooting.

#### **DUALIS Battue**

A perfect alternative to the semi-automatic

Totally different from normal pump-action rifles, the Dualis reloads in record time. The fore-end moves along 2 axis: you draw it towards you, and it moves backwards and downwards, forming a circular motion and nestling comfortably under the magazine.

No visible cams, a silent action and a superb, highly fluid line. This gun is extremely effective with its floating cold-hammered (FN Herstal made) barrel, its drop-down magazine and its modern optical fibre foresight.



## STRAIGHT-PULL ACTION RIFLES



#### **Acera Elite**

Deluxe version of the Acera with superb oil rubbed walnut and rosewood on the ends of the pistol grip and the forestock. The obturation plate is finely corked. Comes in an Opaline carry case.

#### **Acera Stutzen**

Brand new Stutzen long forestock version with perfectly floating 51 cm barrel With its superb lines, its lightness and ease of handling, you will be able to shoot shot after shot with exemplary accuracy. FN-Herstal cold hammered barrel. Comes in a black ABS carry case.

#### **Acera Affût**

Designed more for walk-up or still hunting, this new version has a 58 cm barrel with the appropriate sights. Easy scope mounting thanks to the steel inserts on the breech box.

Comes in a black ABS carry case.



## THE ONLY BOLT ACTION RIFLE IN THE WORLD TO HAVE ITS BREECH BLOCK

## COMPLETELY ENCLOSED WITHIN THE RECEIVER



Receiver drilled and tapped for scope mounting



Walnut "hog's back" stock. The Bavarian cheek piece adds to its already good looks.



Drop-down magazine for speed and ease of loading.



The seven lug rotating bolt engages directly into the barrel extension, making it particularly strong and reliable

#### **ACERA**

With the Acera, reloading simply involves a straight-pull action: a straight back-and-forth movement along the line of the gun is all that is required. But its other major advantage is that the bolt is completely enclosed in the receiver. There is therefore no risk of receiving the bolt in the eye: the hunter is thus able to keep the target in his sights while reloading. Available in calibre 270 win, 7X64, 7RM, 30.06 and 300 WM

Comes in a black ABS carry case.

(Scope not supplied)

MODEL	ACERA	ACERA	ACERA	ACERA
	Stutzen	Battue	Elite	Affût
BARRELS				
Length	510 mm	510 mm	510 mm	580 mm
Calibre	300 WM, 30-06, 7x64,	270 Win, 9,3x62, 7x64,	270 Win, 7x64, 7 RM,	300 WM, 30-06, 7X64
	270 Win, 7 RM	7 RM, 30-06 Sprg, 300 WM	30-06 Sprg, 300 WM	270 Win
Rearsight	Adjustable battue rib	Adjustable battue rib	Adjustable battue rib	
Frontsight	red fibre optic	red fibre optic	red fibre optic	metal
STOCK (*)	Hog's back - The Bavarian cheek piec	Hog's back - The Bavarian cheek piece	Hog's back - The Bavarian cheek piece	Hog's back - The Bavarian cheek piece
Length	Long forestock	350 mm	350 mm	350 mm
Drop at comb	48 mm	48 mm	48 mm	48 mm
Drop at heel	80 mm	80 mm	80 mm 80 mm	
MAGAZINE				
Туре	drop down	drop down	drop down	drop down
Capacity	Standard : 4	Standard : 4	Standard : 4	Standard : 4
	Magnum: 3	Magnum: 3	Magnum: 3	Magnum : 3
TOTAL WEIGHT (*	3,3 to 3,35 kg	3,1 to 3,2 kg	3,1 to 3,2 kg	3,1 to 3,2 kg
FINISHING				
Receiver	light alloy, anodized	light alloy, anodized	light alloy, anodized	light alloy, anodized
Wood	walnut oil finished	walnut satin varnish	walnut oil finished	walnut oil finished
SPECIAL FEATURE	S Furnished with ir	letted swivel bases	Furnished with in	letted swivel bases
	4 threaded holes	for scope mounting	4 threaded holes	for scope mounting
ACCESSORIES				



Adjustable "Battue" type rib, truncated to afford you a better view. A fine white stripe perfectly guides your eye to the target.



Fibre optic front sight: unequalled brightness, the quality of your shot depends on it.



New cocking handle

## REPEATING RIFLES



## REPEATING RIFLES



MODEL	Eurobolt Standard	Eurobolt Magnum	A-Bolt Médaillon	A-Bolt Stainless Stalker	A-Bolt Composite Stalker
BARRELS					
Length	560 mm	560 mm	560 mm (**)	560 mm (**)	560 mm (**)
Calibre	(1)	(2)	(3)	(5)	(4)
Rearsight	Affût + Battue	Affût + Battue	-	-	-
Frontsight	adjustable	adjustable	-	-	-
STOCK (*)			347 mm		
Length	368 mm	368 mm	19 mm	349 mm	349 mm
Drop at comb	45 mm	45 mm	29 mm	19 mm	19 mm
Drop at heel	70 mm	70 mm		29 mm	29 mm
MAGAZINE					
Туре					
Capacity	4	3	6 in 223 Rem	4	4
			4 for other cal.	3 cal Mag.	
TOTAL WEIGHT (*)	3,2 kg	3,2 kg	2,9 kg	2,9 kg	2,9 kg
FINISHING					
Receiver	dull blued	dull blued	dull blued	stainless steel	dull blued
Wood	walnut oil finished	walnut oil finished	walnut, oiled	composite	composite + Dura Touch
SPECIAL FEATURES	intorohono	aabla aiabta		available in left-hande	d
	interchange	eable sights		version (270, 30-06)	
ACCESSORIES	removable swivel	removable swivel	removable swivel	removable swivel	removable swivel

(\*) Average values

(\*\*) 590 mm -> 300WSM; 660 mm -> 300WM, 7 Rem Mag

(1) 270 Win, 7x64, 30-06

(2) 7 Rem Mag, 300 WM, 270 WSM, 300 WSM

(3) 223 Rem, 22-250 Rem, 243 Win, 25.06, 270 Win, 308 Win, 270 WSM, 7mm WSM, 300 WSM


(4) 223 Rem, 243 Win, 270 Win, 7.08 Rem, 308 Win, 30-06, 7 Rem Mag, 300 WM, 338 WM, 270 WSM, 300 WSM

(5) 243 Win, 308 Win, 30-06, 300 WSM



Without doubt the most versatile rifle on the market. Indeed, the Eurobolt is unique in that it is provided with interchangeable sights. The gun can thus be easily modified from a still hunting rifle (with a rear leaf sight) into a battue riffle (with a quarter rib). The trigger has a "stetcher" (set trigger) mechanism, allowing the gun to be fired with a very light trigger pull (hair trigger) for very accurate shots. The Bavarian "hog's back" stock is always perfect, both for sighting with open sites and with a scope.

Supplied with 2 sights: affect rearsight + battue rib: to be mounted according to choice (Scope not supplied).)





**Eurobolt:**Interchangeable Battue-type rib and rearsight.



Quick, accurate, perfect

Browning, the world's leading gun producer wanted to pass on the benefit of its experience of hunting and target shooting by developing the "Optalens" scope range. This range has been designed, down to its minutest details, to meet your highest standards.

All Optalens scopes are guaranteed 30 years\*.

\* Except Optapoint and Optasight.

#### **Optasight**

The Optasight is one of the very latest generation of sights based on the principle of a projected reticule. This revolutionary sight does not have its equal on the market: it incorporates a sensor that measures the ambient light level and adjuts the brightness of the reticule accordingly. The constant need to manually adjust the brightness when passing from bright sunshine to shade is now a thing of the past. The Optasight provides a choice between four reticules, simply by operating a selector knob. It is equipped with a large window  $(22 \times 28 \, \text{mm})$ , providing the perfect compromise between a wide field of vision, lightness and compactness.


(Powered by a CR 2032 lithium battery) - Guaranteed 3 years.





Multi-coat
Anti-reflection and antiscratch treatment.







Self regulating brightness sensor



(choice of 7)

After adjustification

(choice of 4)

**Reticule selector** 

After adjustment on the target,
After adjustment on the target, firmly tighten this screw to
avoid any ill-timed shifting of
the reticule.

	THE RESIDENCE OF
MODEL	OPTASIGHT
SIZE (mm)	LONG: 80 - L.: 36 - H.: 55
WEIGHT (g)	112
WINDOW	22 x 28
MAGNIFICATION	1
RETICULE	
AUTONOMY (hours)	60-80





## The symbol of speed



Optalens Optapoint

This illuminated dot scope provides Ix magnification, which is ideal for quick firing. The brightness can be adjusted and the definition of the dot is always perfect (no edge iridescence). The 33 mm diameter tube gives a vast field of vision. This model comes with an adjustable polarising filter, a lithium/manganese battery and a mount that is compatible with 16.5 mm wide rails. The Optapoint is guaranteed for I year.

**OPTALENS** 

1-4 x 24

Ideal qualities for battue hunting





Optalens Model I-4 x 24


Battue hunting requires the use of a scope having very specific optical qualities. The  $1-4 \times 24$  scope (total length 263 mm), with its qualities of lightness and maneuverability, is the perfect answer. It combines a wide field of vision with a reticule No. 4 for rapid firing

The care taken in its manufacture and the multi-coat treatment of the lens ensures perfect brightness in even the most unfavourable conditions. Its one-piece alloy body also makes it particularly robust.

**OPTALENS** 

1-4 x 26 MRE

### Perfect definition under all circumstances







## Optalens Model I-4 x 26 MRE

For firing quickly on the hop from a path, in scrub land or in foggy conditions, an illuminated reticule is just the solution for a battue hunter.

The I-4  $\times$  26 scope offers a choice of 6 easily selectable reticules, simply by operating the selector. The adjustable brightness guarantees perfect definition under all circumstances. Particularly light, compact and genuinely strong, this scope is the ideal companion for all your hunting trips.

MODEL	OPTAPOINT	1-4 x 24	1-4 x 26 MRE
MAGNIFICATION	1	1-4	1-4
TUBE (mm)	33	30	30
RETICULE	POINT	4	MIS
TWILIGHT FACTORS	-	4,9-9,8	5-10,2
EXIT PUPIL DIAMETER	-	24-5	26-6,5
FIELD OF VISION (in m at 100m	1) -	28,5-8	25,4-8
LENGTH	119	253	250

1,5-6 x 42

The universal



MODEL	1,5-6 x 42	1,5-6 x 42 IS	3-9 x 40
MAGNIFICATION	1,5-6	1,5-6	3-9
TUBE (mm)	30	30	30
RETICULE	4	4 IS	14
TWILIGHT FACTORS	7,9-15,9	7,9-15,9	10,9-18,9
EXIT PUPIL DIAMETER	28-7	28-7	13,3-4,5
FIELD OF VISION (in m at 100m)	21,1-5,2	21,1-5,2	11,3-3,3
LENGTH	295	294	327

**OPTALENS** 

1,5-6 x 42 IS

For use in any weather, under all circumstances

Optalens Model 1,5-6 x 42 IS

The disconnectable illuminated reticule of the of the 1.5-6 x 42 IS is ideal for sighting the target when shooting in poor light (twilight) or where the shot requires to be fired extremely quickly. The red dot at the center of the very fine reticule No. 4, with its well defined edge, is combined with a brightness adjustment system to avoid excessive pupil dilation.





**OPTALENS** 

3-9 x 40

For hunting in the mountains

#### Optalens Model 3-9 x 40

The combination of a large magnification range (from 3 to 9 times) and a lens diameter of 40 mm make this an ideal scope for use in the mountains, and more generally in all cases where the key advantage is a compromise between weight and magnification. The reticule No. 14 is really perfect for long range shots. The little dot situated beneath the intersection of the cross hairs allows the point of impact to be determined, and thus compensates for the trajectory of the projectile. The very high quality multi-coat treatment and the aperture diameter (which goes up to 13.3 mm) make this a very effective scope for selective shooting. It also ensures perfect colour rendition.





#### Optalens Model 3-12 x 56

Designed for still hunting, from a stand, the 3-12 x 56 scope provides maximum visual comfort. The very high quality multi-coat lens treatment makes this one of the very best scopes in the world where colour transmission and restitution of form are concerned. With twilight factors from 12.9 to 25.9, your scope remains perfectly useable, even under conditions of very poor or low light. The reticule No. 14 (with an additional dot beneath the intersection) is ideal. The scope is assembled with meticulous care in a clean room and is filled with nitrogen to avoid all risk of fogging or sensitivity to variations in temperature.

**OPTALENS** 

3-12 x 56 IS

A must in poor light conditions



#### Optalens Model 3-12 x 56 IS

Perfectly adapted to still hunting, this illuminated reticule version of the 3-12 x 56 is at its best at twilight or in very bad light. The very fine red dot, with its very well defined edge, ensures unequalled efficiency. Its meticulous construction, its one-piece alloy housing (of total length not exceeding 377 mm) and silent fine adjustment screws make this an extremely strong scope that is guaranteed for 30 years, like the whole of the OPTALENS range.

MODEL	3-12 x 56	3-12 x 56 IS
MAGNIFICATION	3-12	3-12
TUBE (mm)	30	30
RETICULE	14	4 IS
TWILIGHT FACTORS	12,9-25,9	12,9-25,9
EXIT PUPIL DIAMETER	18,7-4,7	18,7-4,7
FIELD OF VISION (in m at 100m)	9-2,3	9-2,3
LENGTH	361	362



Each Optalens scope comes in a recyclable cardboard box.

Each scope comes with a set of removable folding lens caps

Each Optalens scope comes with protective lens caps



## OPTALENS INITIAL 3-7 x 20



Optalens Initial 3-7 x 20

With its 3/4" body and its integrated 11 mm rail compatible mounting, it is the perfect scope for an air gun or a .22 rifle.



reticule 30/30

OPTALENS INITIAL 4 x 32



Optalens Initial 4 x 32
The most widely used magnification for medium distance

shots (75 m). Attractive satin finish, I" body.



reticule 30/30

OPTALENS INITIAL 6 x 40



Optalens Initial 6 x 40

The key feature is that the exit diameter is 40 mm, allowing a higher twilight factor. Multi-coat anti-refection treatment and nitrogen filled body.



reticule 30/30



#### OPTALENS INITIAL 3-9 x 40

Optalens Initial 3-9 x 40

A very wide magnification range (3 to 9 times), the zoom is accurate, the thumbwheel perfectly adjusted. Reticule 30/30





reticule 30/30

#### OPTALENS INITIAL 3-9 x 50

Optalens Initial 3-9 x 50 An optical quality that will surprise you. The image is clear, the anti-reflection treatment is perfect, no reticule brightness, unbeatable value for money.





#### OPTALENS INITIAL 4-12 x 50

Optalens Initial 4-12 x 50 For all very long range shots. Optimal twilight factor, reticule 30/30, multi-coat treatment of lenses, nitrogen-filled body.



roticul	~ 30/30

reticule 30/30

MODEL	3-7 x 20	4 x 32	6 x 40	3-9 x 40	3-9 x 50	4-12 x 50
MAGNIFICATION	3-7	4	6	3-9	3-9	4-12
TUBE (inch)	3/4"	1"	1"	1"	1"	1"
RETICULE	30/30	30/30	30/30	30/30	30/30	30/30
TWILIGHT FACTORS	7,7-11,8	11,3	15,5	10,9-19	12,2-21,2	14,1-24,5
LENS DIAMETER (mm)	20	32	40	40	50	50












MODEL	SPECIAL G.T.S. Standard	SPECIAL G.T.S. Standard	SPECIAL G.T.S. Elite
BARRELS			
Calibre	12	12	12 M
Chamber	70 mm	70 mm	76 mm
Length	710 / 760 mm	710 / 760 mm	710 / 760 mm
Chokes	Invector Plus	Invector Plus	Invector Plus
Top Rib	ventilated 10 mm	ventilated 10 mm	ventilated 10 mm
STOCK (*)	pistol	pistol	pistol
Length	375 mm	375 mm	375 mm
Drop at comb	36 mm	36 mm	36 mm
Drop at heel	56 mm	56 mm	56 mm
FORE-END	tulip	tulip	tulip
TOTAL WEIGHT (*	) 3,4 / 3,45 kg	3,4 / 3,45 kg	3,45 / 3,55 kg
FINISHING			
Action frame	greyed	greyed	greyed
Wood	oil finished	oil finished	oil finished








## THAT SOMETHING THAT MAKES THE DIFFERENCE

#### **ULTRA XS • XSH • XTR MIDAS**

Removable Midas chokes, easily identified by means of the colour codes applied by anodizing. Removal and installation without need of a wrench. Unequalled ballistic performance.



# Large sized bolt

Very large flat bolt. It bears on the under locking lug of the barrels with a bearing surface of 36 mm<sup>2</sup>. Able to withstand forces several times those of the Liege test bench. Unequalled durability.

# Positive, powerful ejection

Positive and powerful ejection ensured by a hammer mechanism. This mechanism provides unequalled durability compared to spring-operated ejectors which weaken over time.

# Back-Bored barrel

Back bored barrel (exclusive Browning patented design). Gives all demanding shooters: - reduced recoil:

- increased shot velocity;
- improved shot pattern;
- increased penetration. (see page 33)



Superb European walnut with an oil-rubbed finish.

## 15 Highly durable hinge pin

One-piece hinge bolt. Forces are distributed over a bearing surface 3 times greater than that of guns with trunnions.

Maximum resistance to wear.



Very attractive sport theme engraving on grey action frame. Very striking gold edging.



Single adjustable selective trigger. Supplied with 3 different triggers.

Quick and accurate, as its position can be adjusted to suit the size of your hand.





Large sized bolt



Undo the single adjustable screw through the butt plate, move the cheek piece to the desired position and retighten the screw. You are now ready to fire.



Single adjustable selective trigger
Supplied with 3 different triggers.



## CONCENTRATED TECHNOLOGY ...

## Ultra XTR Midas 12 gauge

This well known Trap model is now also available with keyless removable Midas chokes, giving it greater versatility for the different trap disciplines (Olympic trap, Universal trap, double trap, etc.) and unequalled ballistic efficiency.





#### Midas(\*) Chokes:

Easily replaced without need for a wrench. They provide maximum ballistic performance.

(\*) Developed in conjunction with Briley.

#### Ultra XT

The Ultra XT (T for Trap) version is a gun of undoubtable efficiency. The adjustment range of its cheek piece allows it to be adapted to all angles of clay. The semi-beavertail fore-end, the symmetrical grip and its extraordinary balance give it impeccable handling. Comes in an aluminum carry case.

#### Ultra XTR

This model is provided with a rubber cheek piece that is non-slip silky smooth to the touch. This gun allows millimeter accuracy of aim with a level of comfort never before achieved. It is intended above all for very intensive use. Comes in an aluminum carry case.

#### Ultra XSH

Intended for trap shooters seeking maximum versatility between disciplines (trap – double trap and helice (ZZ bird), this Ultra XSH is equipped with removable Midas chokes and has 74 or 76 cm barrels. Comes in an aluminum carry case.

MODEL.	ULTRA XTR MIDAS	ULTRA XT	ULTRA XTR	ULTRA XSH
BARRELS				
Calibre	12	12	12	12
Chamber	70 mm	70 mm	70 mm	70 mm
Length	760 mm	760/810 mm	760/810 mm	740/760 mm
Chokes	Midas	fixed	fixed	Midas
Bande sup.	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm
STOCK (*)	Pistol adjustable	Pistol adjustable	Pistol adjustable	Pistol adjustable
Length	375 mm	375 mm	375 mm	375 mm
Drop at comb	28-38 mm	28-38 mm	28-38 mm	28-38 mm
Drop at heel	32-42 mm	32-42 mm	32-42 mm	32-42 mm
FORE-END	semi-beavertail	semi-beavertail	semi-beavertail	tulip
TOTAL WEIGHT (*)	3,5/3,6 kg	3,5/3,6 kg	3,5/3,6 kg	3,55/3,6 kg
FINISHING				
Action frame	grey & gold engraving			
Wood	oil finished	oil finished	oil finished	oil finished

Wood oil finished optical fibre foresights optical fi

cheek piece

(\*) Average values - supplied with Allen key for adjustment of stock

## OVER-AND-UNDER SHOTGUNS







	ULTRA	ULTRA	ULTRA	ULTRA	ULTRA
MODEL(*)	XS Dura-Touch	XS Sporting	XS Sporter	XS Sporter Ported	XS Sporter Cal 20
BARRELS					
Calibre	12 M	12	12	12	20
Chamber	70 mm				
Length	760 mm	710/760 mm	710/760/810 mm	710/760 mm	710/760 mm
Chokes	Midas	fixed	Midas	Midas	Invector +
Top Rib	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm	vent. 10 mm
STOCK (*)	Pistol adjustable	Pistol adjustable	Pistol adjustable	Pistol adjustable	Pistol
Length	375 mm				
Drop at comb	28-38 mm	28-38 mm	28-38 mm	28-38 mm	36 mm
Drop at heel	48-58 mm	48-58 mm	48-58 mm	48-58 mm	56 mm
FORE-END	tulip	tulip	tulip	tulip	tulip
TOTAL WEIGHT (*)	3,5/3,6 kg	3,5/3,55 kg	3,55/3,6 kg	3,55/3,6 kg	3,15/3,2 kg
FINISHING					
Action frame	grey & gold engraving				
Wood	DURA-TOUCH	oil finished	oil finished	oil finished	oil finished
	coating				
ACCESSORIES	Sporter : Midas 1/4-		Sporter: Mid	as 1/4-3/4 fac	tory installed
	3/4 factory installed		Midas 1/2	- Full and ke	y supplied
	Midas 1/2 - Full and				
	key supplied				

<sup>(\*)</sup> Fixed chokes for Sporting. • Midas for XS Sporter, XS Sporter Ported and INV + for XS Cal 20 (\*\*) Average values - supplied with Allen key for adjustment of stock

## Ultra XS Sporter Midas Dura-Touch 12 gauge

The Ultra XS Sporter Midas already had all the characteristics required by sporting clay shooters. Browning has added a Dura Touch finish to the stock and forearm in order to further improve its handling and to protect the wooden elements against damp in poor weather conditions.

## **Ultra XS Sporter Ported**

With its ported barrels, this gun is the very best there is in terms of efficiency, technology and comfort. By significantly reducing recoil and muzzle flip during shooting, the gun allows a second shot to be fired more quickly and more accurately. Comes in an aluminum carry case.

### Ultra XS Sporter cal 20

Following the success of the Ultra XS 12, there has been the introduction of a 20 gauge version of this popular gun. Equipped with Invector Plus chokes, a 10 mm sighting rib and a magnificent oil-rubbed wood finish, the Ultra XS 20 is the ideal gun for sports shooters.

## CONCENTRATED TECHNOLOGY ...



Sporting clays is an increasingly technical discipline with a very wide range of trajectories. A field course, a wood course, with a majority of incoming and going away clays... It is therefore necessary to be able to alter the configuration of the stock in a matter of seconds.

The XS Sporter version is equipped with Midas chokes and the Sporting version has fixed chokes. Comes in an aluminum carry case.



#### Midas(\*) Chokes:

Easily replaced without need for a wrench. They provide maximum ballistic performance.

(\*) Developed in conjunction with Briley.



## OVER-AND-UNDER SHOTGUNS



	ULTRA	ULTRA	ULTRA	ULTRA
MODEL	Sporting	Sporter	Skeet	Trap
BARRELS				
Calibre	12	12	12	12
Chamber	70 mm	70 mm	70 mm	70 mm
Length	710 - 760 mm	710 - 760 - 810 mm	710 mm	760 - 810 mm
Chokes	fixed	Invector Plus	Invector Plus	fixed
Top Rib	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm	vent. 13-10 mm
STOCK*	pistol	pistol	pistol	pistol
Length	375 mm	375 mm	375 mm	375 mm
Drop at comb	36 mm	36 mm	35,5 mm	33,5 mm
Drop at heel	56 mm	56 mm	55 mm	39 mm
FORE-END	tulip	tulip	rounded	semi-beavertail
TOTAL WEIGHT*	3,4 / 3,45 kg	3,5 / 3,55 / 3,6 kg	3,4 kg	3,5 / 3,6 kg
FINISHING			-	
Action frame	blued	blued	blued	blued
Wood	oil finished	oil finished	oil finished	oil finished

(\*) Average values

## <u>Ultra Trap</u>

This model aims above all to provide efficiency. Its finely polished 76 or 81 cm long barrels (30" or 32"), its streamlined, floating rib provide a particularly pleasing and accurate sighting line. The trigger can be adjusted to 3 positions.

(Also available, in left-handed version)

#### Ultra Skeet

The Skeet version of the Ultra has a rounded fore-end ensuring an excellent grip, regardless of how it is held. The barrels are fitted with Invector Plus chokes, and the stock is designed especially for this discipline.









Typically, the Sporting Grade I version of the B425 gets straight to the point: to provide the services of a powerful, reliable and enjoyable sports gun. The Sporting is equipped with a 10 mm sighting rib and an adjustable trigger. The action frame is finely engraved with decorative motifs and has a surface finish that allows it to be used in the most severe weather conditions without affecting its durability. Its European walnut stock and fore-end have an oil-rubbed finish.

(Also available, in left-handed version)

## **B425 Sporter available in the following 3 grades**







Prestige engraving



Elite engraving

	B425	B425	B425	B425	B425	B425	B425	B425	B425	B425	B425	B425
MODEL	Sporting	Sporting	Sporting	Sporter	Sporter	Sporter	Sporting	Sporting	Sporter	Sporter	TRAP	TRAP
BARRELS												
Calibre	12	12	12	12	12	12	20 M	20 M	20 M	20 M	12	12
Chamber	70 mm	70 mm	76 mm	76 mm	76 mm	76 mm	70 mm	70 mm				
Length	710 mm	760 mm	810 mm	710 mm	760 mm	810 mm	710 mm	760 mm	710 mm	760 mm	760 mm	810 mm
Chokes	1/4-3/4 or	1/4-3/4 or	1/4-3/4	INVECTOR	INVECTOR	INVECTOR	1/4-3/4	1/4-3/4	INVECTOR	INVECTOR	3/4-1/1	3/4-1/1
	1/2-1/1	1/2-1/1										
Top Rib	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm	vent. 10 mm				
STOCK (*)	pistol	pistol	pistol	pistol	pistol	pistol	pistol	pistol	pistol	pistol	pistol	pistol
Length	375 mm	375 mm	375 mm	375 mm	375 mm	375 mm	375 mm	375 mm				
Drop at comb	36 mm	36 mm	36 mm	36 mm	36 mm	36 mm	33,5 mm	33,5 mm				
Drop at heel	56 mm	56 mm	56 mm	56 mm	56 mm	56 mm	39 mm	39 mm				
FORE-END	tulip	tulip	tulip	tulip	tulip	tulip	tulip	tulip	tulip	tulip	semi-beavertail	semi-beavertail
TOTAL WEIGHT (*	3,4 kg	3,45 kg	3,5 kg	3,45 kg	3,5 kg	3,55 kg	3,1 kg	3,15 kg	3,15 kg	3,2 kg	3,5 kg	3,55 kg
FINISHING												
Action frame	greyed	greyed	greyed	greyed	greyed	greyed	greyed	greyed	greyed	greyed	greyed	greyed
Wood	oil finished	oil finished	oil finished	oil finished	oil finished	oil finished	oil finished	oil finished				
ACCESSORIES				(1)	(1)	(1)			(1)	(1)		
OPTIONS					available in left-						available in left-	Dura-Touch
					handed version						handed version	

<sup>(1)</sup> Sporter: INVECTOR 1/4-3/4 mounted, 1/2 supplied

<sup>(\*)</sup> Average values

## SEMI-AUTOMATIC SHOTGUNS



piece having a wider top edge for increased comfort under intensive use. The

gun comes in a new aluminum carry case with 4 latches.

DURA-TOUCH Armor Coating





## Gold Sporting Clays Dura-Touch

Based on the Gold Sporting Clays, this Dura-Touch model will delight you with its original look. The synthetic stock and forearm are covered with a brand new finish that alternates between shades of green and blue, depending on the angle from which it is viewed. The exclusive Dura-Touch treatment also ensures excellent handling and is very comfortable and efficient in bad weather.



A brand new line for the stock: the more marked cheek piece and asymmetric pistol grip guarantee a gun of unmatched ergonomic quality.



**Invector Plus** 



Strong and elegant, this aluminum carry case is ideal for all transporting your gun in all situations, even by plane. Its four latches ensure faultless reliability.

	GOLD	GOLD
MODEL	Sporting Clays	Sporting Clays Dura-Touch
BARRELS		
Calibre	12	12
Chamber	70 mm	70 mm
Length	710-760 mm	710-760 mm
Chokes	Invector Plus	Invector Plus
Ribs	ventilated 8 mm	ventilated 8 mm
STOCK (*)		
Length	365 mm	365 mm
Drop at comb	41 mm	41 mm
Drop at heel	46 mm	46 mm
MAGAZINE		_
Туре	Tubular chrome plated	Tubular chrome plated
Capacity without reducer	4	4
(cart.70 mm)		
Capacity with reducer	2	2
TOTAL WEIGHT (*)	3,35 kg / 3,4 kg	3,35 kg / 3,4 kg
FINISHING		
Action frame	anodized, black varnish	anodized, black varnish
Wood	walnut, oil finished	green head
SPECIAL FEATURES	Barrels "Ported"	

<sup>\*)</sup> Average values



This is without doubt one of our very favourite Browning products. With its exceptional, highly accurate and reliable design, this gun provides a vast range of possibilities of use.



This is the latest addition to the Buck Mark Rifle range. It has been designed to give the shooter the maximum possible accuracy through the use of a heavy large diameter Match type barrel. The laminated wooden stock and forearm give it a special and highly distinctive look.

	SEMI-AUTO .22	BL .22	Buck Mark	Buck Mark
MODEL	Grade 1		Rifle	Classic Target Rifle
BARRELS				Match
Length	490 mm	500 mm	500 mm	500 mm
Calibre	.22 S or .22 LR	.22 LR	.22	.22
Rearsight	folding, adjustable	folding, adjustable	adjustable	-
	in elevation	in elevation		
Frontsight	transversal	bead on base plate	fibre optic	-
STOCK (*)	pistol	straight		
Length	345 mm	343 mm	476 mm	476 mm
Grip			ergonomic plates	ergonomic plates
Material			wood	laminated wood
Drop at comb	30 mm	41 mm	22 mm	22 mm
Drop at heel	67 mm	57 mm	38 mm	38 mm
TRIGGER				
Trigger pull			1,15 à 2,25 Kg	1,15 à 2,25 Kg
MAGAZINE				
Туре	tubular (stock)	tubular		
Capacity without reducer	11 LR ou 15 S	15 LR, 17 L, 22 S	10 cartridges	10 cartridges
Capacity with reducer	9	see legislation		
TOTAL WEIGHT (*)	2,3 Kg	2,27 Kg	2 kg	2 kg
TOTAL LENGTH			850 mm	850 mm
FINITION				
Receiver	blued	blued	polished finish	polished finish
Wood	gloss varnish	gloss varnish		
SPECIAL FEATURES			sanded, blued	sanded, blued
			Integral mounting rail	Integral mounting rail
OPTIONS	Custom version			

(\*) Average values






This gun, with its undeniable "Wild West" charm features a very short travel lever (33°), external hammer and magazine tube. It also allows the possibility of mixing all types of cartridge (long, long-rifle, short) without risk of jamming.



This much copied, never equalled rifle has been continually produced since 1924 and has something for everyone: operation in "blow-back" mode (unlocked breech operated by gas)

- loading through the stock (the magazine tube is pulled to the rear and the cartridges are dropped one at a time into an opening in the stock)
- bottom ejection
- barrel take-down with wear adjustment





Pro 9

The Pro 9 handgun is the result of lengthy research aimed at developing a gun that precisely meets the needs of the market. This classic double action handgun (double action for first shot, single action for the others), which was jointly developed by FN Herstal and Browning, is not only a highly reliable gun but also a unique solution in terms of ergonomics, safety and modularity.

The expertise of FN Herstal and Browning in handgun design and the care taken in developing the Pro 9 have already made it a "Standard" of reliability, like its predecessor the celebrated HP.

This gun incorporates highly sophisticated technological solutions:

The steel slide sits on a steel mechanical cradle, which is itself housed in a receiver made of synthetic material, thus combining strength, weight and balance.

The firing mechanism is housed in an easily replaceable "firing box", for ease of servicing, both for yourself and your gunsmith.

A medium-sized handgun, the handle can be adapted to suit the hand of each user Safety has not been ignored. The Pro 9 handgun is equipped with the most modern systems:

- Firing pin safety to avoid the gun accidentally firing without first pulling the trigger.
- A safety lever to make the gun safe and to deactivate the hammer with or without a cartridge in the chamber.

Finally, it is fitted with a rail which is able to receive an extensive range of accessories, such as flash lights, laser designators, etc.
















BARREL

PRO 9 (DA/SA)\*

(\*) DA/SA = double action for the first shot, single action for the others

Browning recommends the use of ammunition by Browning and Winchester

## HAND GUNS

**GP MK III S** 

The HP MK III S combines all the qualities of the original HP with an ambidextrous safety and a weight (910 g) that makes it a safer and more accurate gun to handle. It is also fitted with Pachmayr grips for improved handling. A handsome gun with its blued and chrome finishes.



	GP	GP	GP	GP Vigilante	BDA
MODEL	MK III S	Practical	Silver Chrome	Adjustable	
BARREL					
Length	119 mm	119 mm	119 mm	119 mm	118,5 mm
Calibre	9 mm Luger	9 mm Luger	9 mm Luger	9 mm Luger	9 mm Luger
Rearsight	dovetail sight	adjustable height and	adjustable height	adjustable height	dovetail sight
	notch	direction or fixed	and direction	and direction	notch
Frontsight	MH III	specific Sport	specific Sport	specific Sport	
	dovetail notch	dovetail notch	dovetail notch	dovetail notch	dovetail notch
anın					
GRIP					
Туре		ergono. checkered			ergonomic plates
Material	plastic	rubber	rubber	wood	plastic
TRIGGER					
Trigger pull (*)	3,2 to 4,5 Kg	3,2 to 4,5 Kg	3,2 to 4,5 Kg	3,2 to 4,5 Kg	1,7 à 2,7/4,5 to 5,5 Kg
MAGAZINE					
Capacity	13 cartridges	13 cartridges	13 cartridges	13 cartridges	14 cartridges
TOTAL WEIGHT (*)	0,91 Kg	0,98 Kg	0,98 Kg	0,93 Kg	0,875 Kg
TOTAL LENGTH (*)	200 mm	200 mm	200 mm	200 mm	200 mm
FINISHING	sanded, phos-	phosphated black	sanded	polished	phosphated
	phated, varnished	varnished sanded	chrome plate	chrome plated	varnished
SPECIAL FEATURES	(1)	(1)	Magazine with	(1)	(2)
			shock absorber		
ACCESSORIES	Additional magaz	ine. Cleaning rod.			Additional magazine
	Transpo	ort case			Cleaning rod.
					Transport case
OPTIONS	Custom Shop. Add	itional sights MKIII	Custom Shop	o. Additional	sights MKIII
	with luminescent	spot «Meprolight»	with lumine	escent spot «	Meprolight»
	Martingale ring	3 position flat spanner	3 position flat spanner	3 position flat spanner	calibre 9 X 21
		Allen wrench Ø 1.5 mm	Allen wrench Ø 1.5 mm	Allen wrench Ø 1.5 mm	

- (1) Manual and ambidextrous safety, with lever blocking sear and slide. Magazine and firing pin automatic safeties. Magazine with visualisation holes and ejection spring
- (2) Automatic firing pin safety Ambidextrous hammer lowering lever. Magazine with visualisation holes and ejection spring. Removable martingale ring. Exposed hammer.
- (\*) Average values



GP Practical adjustable

The GP Practical has been developed to meet the stringent demands of "Practical Shooting". It includes numerous

- Particularly crisp trigger pull
- Ultra precise handling through the use of Pachmayr chequered rubber grips
- Hammer redesigned to avoid getting caught when drawing
- Increased weight and improved stability
- Ambidextrous (left/right) with retained magazine safety
- · Larger magazine entry in the frame
- Ejectable magazine equipped with Pachmayr rubber buffer
- Particularly corrosion resistant finishes



The new BDA is an extremely reliable gun which is very robust and provides maximum safety. It incorporates the results of decades of experience gained with the famous HP pistol and includes numerous innovations, both in terms of the materials used and the design of certain parts.

The BDA offers the following features:

- Greater strength of parts
- · Lower weight and increased compactness
- · Improved extraction, ejection and feeding
- Automatic firing pin safety
- Fixed sights
- Reversible magazine stop
- · New magazine
- · Better grip.







## 📕 <u>Buck Mark Standard</u>

A cut above the rest, this is Browning's version of a basic pistol. It can easily compete with the best .22 calibre target shooting guns. Hundreds of HMSA winners are there to prove it. Its features include a thumb-operated magazine release, a 10-shot magazine, a bull barrel and "Pro-Target" sight.

## Buck Mark Standard Nickel

Black rubber and bronzed steel combine to make this a particularly tough-looking pistol. The nickel plating on the slide and barrel provide increased protection. The grips provide sure handling. An extremely reliable and accurate pistol.





## **Buck Mark Target 5.5 blued finish**

Identical to the Buck Mark Target 5.5 Gold, but with the original Target blued finish.

## Buck Mark Plus

The Buck Mark Plus has exactly the same features as the standard model, with the addition of laminated wooden pistol grips make for a naturally warm feeling of warmth and great looks.

## Micro Buck Mark Plus Nickel

Nickel-plated finish on the 102mm barrel and the slide. The nickel-plating is highly abrasion and weather resistant, making it ideal for use in the field. The laminated wood pistol grips, which are shaped to suit the hand, combine the pleasant, comfortable feel of natural wood with a toughness equal to that of composite materials.



# **VECTIS**

## THE MASTERY OF AIR

## **Vectis**

Comfortable to use, even under intensive conditions.

All 4 rifles are provided with a rubber butt plate. Great looks and handling thanks to the chequered stocks.



## **Cold-hammered barrel**

With 11 right-hand bore grooves the height of precision.





# Adjustable vernier rearsite

Allowing adjustment of windage and elevation: Brownings' hallmark attention to detail



## **Double-action lever**

Vectis 032

(50% spring compression forward, 50% back), that greatly simplifies cocking and requires less effort. 14 click non-return system.

MODEL	Vectis 026	Vectis 032	Vectis 220
BARRELS	breaking	breaking	fixed
Length	47 cm	47 cm	46 cm
Calibre	4,5 mm	4,5 mm	4,5 mm
Rearsight	micrometric	micrometric	micrometric
			rising with

			a rounded tail
STOCK (*)	beech	beech	beech
Finish	polished satin	polished satin	polished satin
Checkering	yes	yes	yes
TOTAL LENGTH	111 cm	114 cm	115,5 cm
TOTAL WEIGHT	3,15 kg	3,4 kg	4,22 kg
RECEIVER	rail 11 mm	rail II mm	rail II mm
SAFETY	non automatic	automatic	automatic
V0(*) SPEED	270 m/s	312 m/s	280 m/s

(\*) according to local legislation



## **Double interleaved spring compression system.**

This unique design consists in having not one, but two springs in compression. With a coil pitch two times greater than that of the standard springs used by our competitors, our two springs are subject to less stress, slackening by less than 25%.


They thus provide durable power that does not tail off with use.

## Accurate, durable locking

of our break-open barrels thanks to a ball type design. Perfectly airtight. (Vectis 026, Vectis 026, Vectis 032)











## Parka 4-in-I Hydro-Fleece™ with Cordura®

- PARKA Hydro-Fleece<sup>™</sup>, waterproof, windproof, breathing. Gore-Tex® membrane
- Detachable, insulated hood is height adjustable
- 2 zippered bellows pockets and I inside security pocket
- Rear storage pocket with zippered opening
- Underarm gusset and articulated elbows for full mobility
- Velcro®-adjustable Lycra cuffs
- Silent zip fastener, directly securable with a full-height flap.
- Reversible fleece: camouflage coloured on one side, green on the other.
- Thermolite® insulation
- Sizes: S-XXXL

Mossy Oak Breakup 30357004••



## Hydro-Fleece™ caps

- Hydro-Fleece™ fabric with Gore-Tex® inserts
- Adjustable Velcro® headband
- · One size fits all

Mossy Oak Breakup 30892504



## Hydro-Fleece™ gloves with Cordura®

- Lightweight, Gore-Tex® lined gloves
- Hydro-Fleece  $^{\text{TM}}$  with Cordura®



# HUNTING CLOTHES

## Hydro-fleece Cord Non Insulated

Camo 30257804•• (S-XXXL)



## Hydro-Fleece™ Parka

- Hydro-Fleece fabric is waterproof, windproof & breathable utilizing Gore-Tex® laminate
- Detachable insulated hood
- Tekna-Fleece lining
- 2 lower slash pockets and I inside security pocket
- Full-length YKK zipper with flap
- Velcro® adjustable Lycra cuffs
- Thermolite insulation
- Drawcord waist
- Sizes: S-XXXL

Loden Green 30353540X• (S-XXXL)









100% Silk Made in Italy

Cocktail Blue Jacquard 30948244 Cocktail Green Line 30948239 Cocktail Blue Line 30948245



30948050



Champs Yellow/Blue 30948069 Champs Grey/Green 30948092

**Scarves** 





Brume two-colour green R3508G•• (40-46)







## SHOOTING CLOTHES

# BROWNING

## **Masters Shooting Vests**

- Tailored and engineered for complete freedom of movement with ultimate functionality
- A large water resistant leather patch for easy mounting
- With Reactar<sup>™</sup> pad pocket so you can add a Reactar<sup>™</sup> pad for maximum recoil protection and comfort when shooting
- Integral vest expander for additional size flexibility
- Large shell pockets

71300 • right-handed

Green

- · Available in black, red and green
- Sizes: S-XXXL (Left or Right Hand)



71100•• (S-XXXL) right-handed 71101•• (S-XXXL) left-handed



## Mens Deluxe Shooting Vest

- Twill full-length shooting patch
- Mesh body for ventilation
- Two-way front zipper
- 4 large front shell pockets
- Bartacs at all stress points
- Side tab adjustments
- Large back pocket for empties or other gear
- Built-in REACTAR<sup>™</sup> pad system
- · Right-hand or Left-hand

Black /red 30500290\*• right-handed 30500390\*• left-handed Loden/Beige 30500240\*• right-handed 30500340\*• left-handed (M-XXL)

### Reactar™

 This is a system developed by Browning to reduce the effects of repeated recoil by nearly 30%.

0050



## **Leather shooting gloves**



Cabretta 30700531•• (S-XXXL)



Cabretta Black 30700590•• (S-XXL)



# SHOOTING CLOTHES

# BROWNING OUTDOOR EQUIPMENT

## Polo Europique

- 100% cotton
- Black 30126590••
- Navy 30126545••
- Red 30126550••
- White 30126570••

## **T-Shirts**



White T-shirt with U.S . flag

- 100% cotton heavyweight fabric
- Available in short sleeve (S/S) and long sleeve (L/S) versions
- Sizes: M-XL Billboard White Flag L/S 30131470•• Billboard White Flag S/S 30131570••



## <u>Caps</u>

- Adjustable
- One size
- 100% cotton Twill



Spandex 3084761



Two-tone 3084631



Blaze Orange 3084051



Camo Logo 3084790401



Twill Prim Brim 308480901



Twill Prim Brim 308480401

## Logo caps

new

Dust'em 30134992••

100% cotton Twill



Green/Gold 3084721



Black/Gold 3084521

## Twill caps with 3-D Buckmark

Brushed Twill Caps with 3-D Buckmark 100% Cotton Twill





(new)

White Medallion 30134270••



Black/Gold 3084511



Black/Red 3084401



Green/Gold 3084411



## Midas Cal 12







12850

Hi-Viz Comp Sights

to the shooting conditions

M2000 Sight (B425 - B525 - Fusion - Auto5) - 12820 M3000 Sight (Gold Sporting Clays) - 12830 M4000 Sight (Ultra - Ultra X) - 12840

Calibre 20 Plus

The Browning HI-VIZ® Comp-Sight has a metal base that threads directly into the

• The new HI-VIZ® Comp-Sight permits proper "barrel-management", enabling the shooter to know exactly where the barrel is in relation to the target.

• Interchangeable light pipes allow the shooter to match light pipe diameter and color


bead-hole of your shotgun for a more permanent sight picture



**Choke Tube Case** 481610



Extra Long 5 cm Invector+ Cal 12



Extra Long 10 cm Invector+ Cal 12



**Invector Cal 28** 

Invector







СНОКЕ КЕҮ	
T wrench 12	5201100
T wrench 12+	5120001
T wrench 28	11 3 0 0 1 6
T wrench . 410	11 3001 7
Wrench 20 & 20 +	62200T

#### INVECTOR CHOKE

Calibre 10	
X-Full Turkey	5920700
F (1/1)	59201
M (1/2)	59203
IC (1/4)	59204
Calibre 12	
X-Full	5120700
F (1/1)	51 20100
IM (3/4)	5120200
M (1/2)	5120300
IC (1/4)	5120400
Sk.	5120500
Cyl.	5120600
Calibre 12 Plus	
Full Long. 10cm (1/1)	16656
Full Long. 5cm (1/1)	16650
Full Long. 5cm (3/4)	16651
X-Full	6120700
F (1/1)	61 20100
IM (3/4)	6120200
M (1/2)	6120300

M (1/2)	6120300
IC (1/4)	6120400
Sk.	6120500
Cyl.	6120600
Calibre 20	
F (1/1)	5220100
IM (3/4)	5220200
M (1/2)	5220300
IC (1/4)	5220400
Sk.	5220500
Cyl.	5220600

Calibre 20 Flus	
F (1/1)	5221011
M (1/2)	5221012
IC (1/4)	5221013
Sk.	5221014
Cyl.	5221015
Calibre 28	
F (1/1)	1130256
M (1/2)	1130276
IC (1/4)	5221113
Sk.	1130296
Cyl.	5221115
Calibre 410	
F (1/1)	1130257
IC (1/4)	1130287
Sk.	1130297

#### MIDAS

Calibre 12 Plus	
Extra Full Trap	11 301 23
Full (1/1)	11 30 1 5 3
IM (3/4)	11 30 1 6 3
M (1/2)	11 301 73
LM (1/2 improved)	1130133
IC (1/4)	1130183
Skeet	11 301 93
Cyl.	1130113
Spreader (dispersant)	11 30103



## **ACCESSORIES**

## **Electronic Ear Protection**

• The electronic model features a low frequency "lift", which enables the shooter to hear more bass detail whilst at the same time the treble response is gently rolled off, eliminating distracting and unwanted high-pitch sounds

• When shooting, sound below the 75 dB safe level is heard normally

• As the gun is fired, this threshold is exceeded and the sound output is cut to zero but quickly returns back to normal.

With charger 220-230 V: Black EM15



## Toe Rest

 You can use this accessory to let the barrels of your gun lie on the top of your shoes.

TRI

#### **Passive Ear Protection**

The passive Pro-tection offers many of the same design characteristics

- Noise attenuation is approximately 24 dB
- They may be comfortably worn with glasses, are lightweight and feature padded seals and a cushioned headband

Black EM20



<u>Deluxe</u> Black EM30

BROWNING







# Featherlight 12708

- Crystal clear, polycarbonate lenses with tint combinations: bronze, vermillon, orange, transparent
- Non-slip nose and ear
- Removable centre piece preventing fogging
- Maximum eye protection



## **Browning Special Care Products**

Our gas-free pump-action system and the adherence of our low volatility oils, make the LEGIA SPRAY 25% more efficient than traditional gun oils.

- I. LEGIA SPRAY (Red): cleaning oil for barrels and receivers: excellent for maintenance and protection.
- STOCK PROTECTION (Green): the ideal product for protecting and maintaining precious woods. Nourishes and increases the impermeability of all "oil rubbed" finishes.
- LONGLIFE (Grey): Low volatility oil. The oil film remains on the gun longer, making it the ideal product for use in extreme conditions (salty, damp, etc.)
- 4. COMBINATION PLUS: New generation (synthetic base) ceramicenriched oil (very high lubrication). Extreme temperature resistance (-30°C to +150°C). Very good early rust dissolving properties (contains anti-corrosion and oxidation additives). Principally for use on internal and friction parts.
- I. Legia standard 200ml 579302 750ml 625117
- 2. Stockcare 200ml 579303
- 3. Longlife 200ml 579304
- 4. Combination Plus 200ml 579290



# LITES - KNIVES

# BROWNING

## Thunder Bug™

- The Thunder Bug incorporates all the features of the original Lightning Bug with the addition of a large 2,5 cm diameter modified spot reflector module.
- A handy clip lets you attach it to your belt, shirt pocket, fishing vest or even the peak of your hat.
- A flexible lens head allows you to set the light beam at any vertical angle for an unbeatable hands-free portable light source.

• Both lights are constructed of rugged Xenox resin to resist breakage, even when extremely cold.

• Operated by two "AA" batteries. Available in non-glare

8099126



#### **Ballistic lites**

14 mm Micro Ballistic Lite™

A convenient clip allows the 14mm Micro to attach

to your pocket or backpack

- · Comes with batteries
- Available in Black
- Waterpoof 120 m.

Micro 809986



# **Hawk Skinner Stag** BR2608CE



#### **Ballistic lites**

14 mm Ballistic Lite™

The compact light source built to go anywhere

- The 30 H Xenon lamp provides 5 times longer life than standard bulbs and makes replacement easy
- · A lanyard frees your hands for emergencies and guards against loss
- Available in black
- Waterpoof 120 m.

Ballistic 801926



25 mm Ballistic Lite™

- The 25mm's high-tech Xenon Lamp is 400% brighter and lasts 400% longer than ordinary standard bulb.
- · A belt spring clip, stainless steel split ring and lanyard allow you to carry the 25mm-hands free
- Available in black. Waterpoof 500 m.

Ballistic 801936



# KNIVES










## **Featherweight**

These knives weigh as little as some sheaths, yet they are designed for hard work. Their AUS-8A (440C-type) stainless steel blades take an edge better and hold it longer than others. Impactresistant Zytel® frames with laminated wood inserts combine light weight, durability and attractiveness.



• Signature knives exhibit Browning's signature colours in a top quality knife. All the Signature knives have a AUS-8A (440C-type) stainless steel blade that resists rust, holds a sharp edge and resharpens easily. Every model has an upfront lock, release for one-handed closing.



• A textured surface provides a positive grip

 The 726 and 708 feature one-hand operation that is reversible for either right-or left-hand use

• They also have half-serrated blades for tough cutting jobs.











### Kodiak F.D.T.™

- Kodiak F.D.T.s (Field Dressing Tool) are multi-bladed knives that are ideal for dressing big game in the field
- Each blade is made from AUS-8A (440C-type) stainless steel. All blades lock in place for stability and security
- Impact-resistant Zytel® handles feature checkered rubber inlays
- Unlike most pocket saws, the Kodiak's blade is designed to cut on the push stroke as well as the pull

817

• The unique push/pull hide-cutter blade can be used as a standard blade when pushed under the hide or pulled as a hide-splitter.













BROWNING.



## Swivel-Lok Hunter

This is a versatile field dressing knife that can be used as a traditional hunting knife or as a T-handle guthook to give you a better grip when cutting through heavy hides. You also have the option of skinning from either position. The 10 cm skinning blade with guthook is made from AUS-BA (440C-type) steel and locks in both positions. The Zytel® handle with rubber inlays is durable, lightweight and provides a sure grip. Sheath included.

614

Model	Steel	Handle	Blade length	Blades	Ref.
KODIAK mod.600	AUS-8A STAINLESS	Zytel+rubber	8.9 cm	3	1018600
KODIAK mod.608	AUS-8A STAINLESS	Zytel+rubber	8.9 cm	3	1018608
KODIAK mod.620	AUS-8A STAINLESS	Zytel+rubber	7.6 cm	3	1018620
KODIAK mod.630	AUS-8A STAINLESS	Zytel+rubber	7.6 cm	3	1018630
KODIAK mod.645 Camo	AUS-8A STAINLESS	Zytel+rubber	8.9 cm	2	1018645
FEATHERWEIGHT mod.817	AUS-8A STAINLESS	Zytel+laminated	9,5 cm	1	1018817
FEATHERWEIGHT mod.825	AUS-8A STAINLESS	Zytel+laminated	7.6 cm	1	1018825
FEATHERWEIGHT mod.828	AUS-8A STAINLESS	Zytel+laminated	8.25 cm	3	1018828
FEATHERWEIGHT mod.836	AUS-8A STAINLESS	Zytel+laminated	7.6 cm	1	1018836
SIGNATURE mod.707	AUS-8A STAINLESS	Zytel	10.15 cm	1	1018707
SIGNATURE mod.708	AUS-8A STAINLESS	Zytel	10.15 cm	1	1018708
SIGNATURE mod.709	AUS-8A STAINLESS	Zytel	8.9 cm	1	1018709
SIGNATURE mod.726	AUS-8A STAINLESS	Zytel	7.6 cm	1	1018726
DAGUE HALLALI	440 STAINLESS	Stag Horn	23 cm	1	6801900
DAGUE SOLITAIRE	440 STAINLESS	Stag Horn	23 cm	1	6811900
SWIVEL-LOCK HUNTER	AUS-8A STAINLESS	Zytel+rubber	8.6 cm	1	1018614
HAWK SKINNER WOOD	440 STAINLESS	Wood	11 cm	1	BR2608
HAWK SKINNER STAG	440 STAINLESS	Stag Horn	11 cm	1	BR2608CE
HAWK HUNTER WOOD	440 STAINLESS	Wood	11.5 cm	1	BR2608W
EXTREME F.D.T.	440 STAINLESS	Teflon	9 cm	2 + clip	322691
RED DEER	440 STAINLESS	Stag Horn	9 cm	3	BR5003CF
RED DEER	440 STAINLESS	Stag Horn	9 cm	4	BR5004CF

## Take-Down Saw

- The Take-Down Saw quickly goes from its packable stowed position to a 40 cm bow saw for the biggest chores
- The saw is available with a wood cutting blade or with both wood and bone saw blades and weighs less than a pound
- It's especially suited for quartering big game, cutting green limbs when setting up your tree stand
- The self-cleaning blades are quickly replaceable



## **Camp tool**

Camping kit including a knife, a fork, a spoon, a tin opener and a bottle opener. All in stainless steel.







### **Dura-Wax Series case**

Very resistant to abrasion and scuffing, Browning Dura-Wax will also protect your gun against bad weather and knocks. Gun positioning blocks hold your gun securely in place.

For 76 cm shotguns barrel length 1215DW (green)

For 81 cm shotguns barrel length 1515DW (green)

## **European Collector's Series Cases**

The 1,000 denier Cordura fabric exterior is highly resistant to abrasion and scuffing. A special compartment is provided for Invector choke tubes. The case is provided with corner reinforcement and combination locks. For 76 cm shotguns only 595863

595863





## **Travelling case**

When travelling, a gun case must be able to stand up to large variations in temperature and humidity. That is why our Travel Vaults provide a perfect seal, so much so that a purge valve is provided to allow you to equalise internal pressure before opening.

- A special inset O-ring completely seals out water, humidity, dirt and sand to totally protect your guns and equipment.
  - Because Travel Vaults seal 100% airtight when closed, it is necessary to have a purge valve in order to equalize internal pressure after you change altitude. Lesser cases don't need a purge valve because they don't seal 100% tight.
- 3. Travel Vaults seal so tightly they'll float, even when fully loaded with gear. This makes them ideal for transporting gear when rafting, canoeing, etc. Small models are great for keeping personal valuables safe and dry.



## Carry case (leather/canvas range)

- Thick leather handle, leather corner reinforcement
- Interior lined in soft fabric marked with the Browning logo.
- Removable spacers according to the length of the barrels (66cm to 81cm)
- 2 combination locks plus 2 leather closing straps

142410





## Carry case (leather range)


- Very high quality hand-made 100% leather carry case for exceptional guns.
- Thick leather handle, leather corner reinforcement
- 2 combination locks plus 2 leather closing straps
- Wooden base
- Removable spacers according to the length of the barrels (66cm to 81cm)).

142311



### Signature case







Ref.	Size (cm)			
4815	Ext. 59 x 53 x 23			
	Int. 56 x 43 x 20			
5015	Ext. 95 x 44 x15			
(one gun disassembled)	Int. 91 x 34 x 13			
5115	Ext. 132 x 44 x15			
(2 guns assembled)	Int. 129 x 34 x 13			





**Buck Mark Rifle** 92 cm regular 1410036











## Signature Shooting Bags

1000 denier Cordura® outer, reinforced lining and strong self-repairing zippers. An expandable empty shell bag holds 200 empty shells and can be drawn tight with drawcords. Closed-cell foam construction gives these bags a rigid shape and allows them to stand up on their own.



SSB1500 12116



SSB 1000 12115



## Signature Cargo Bags

The duffel bag is pleated at the bottom allowing all 26" of the bag to stand up on its own. The Signature Cargo Bags have a padded bottom and a spacious main compartment. These bags also have two end and one front zippered-side pocket. All bags are tough nylon with a vinyl-coated interior to provide water resistance and have shoulder straps.



Small Cargo Bag 121311 Medium Cargo Bag 121312



Duffel Bag 121300







Fowl gear<sup>™</sup> blind bag





Medium 12-pack Dome Cooler



BackPack cooler



## **Sterling Safe**

- 16 guns
- Fire resistant
- Size: 152 x 71 x 66
- Weight: 283 kg

1606288407



## **Medalist Safe**

- Size: 152 x 61 x 45
- Weight: 130 kg

1603780661 8 guns + shelves 1603781861 16 guns

1603880661 8 guns + shelves

Fire resistant

# LEGIA PHOENIX

## Legia Phœnix game cartridges

noeni

noenix


Browning is proud to present its Phoenix range of high quality hunting cartridges. Retaining the essential features that were so appreciated in the old Legia range, this new cartridge will give entire satisfaction for hunting all types of game. The Phoenix range of cartridges are available in the following weights: 34g, 36g Ni, 42g Ni and 53g Ni. All of the cartridges are provided with a 20mm nickel-plated head to avoid any risk of corrosion and thus ensure that your cartridges remain in perfect working order even after several seasons at the bottom of your cartridge bag. Because we are concerned for the environment, all of the cartridges in the Phoenix range are provided with a photodegradable wad which decomposes much faster than traditional Polyethylene ones.



The ideal cartridge for "difficult" birds such as pigeon, duck and high flying pheasant, as well as for hare. Its 36g nickel-plated shot load ensures an exceptional shot pattern and high penetration.



12/76 mm Magnum cartridge for firing from long-range or for hunting migratory birds such as ducks and geese. Only to be used in Magnum shotguns.



This 12/70mm cartridge loaded with 34 g of hardened lead offers an excellent compromise for hunting all types of game throughout the hunting season.

Available in shot sizes 4-5-6-7-8



hoenis

Legia Phoenix Semi-magnum 42g Ni

This 12/70 mm cartridge is capable of firing a 42g load of nickel-plated shot. It will satisfy the needs of all wild waterfowl hunters who shoot ducks from a longer range. Only to be used in shotguns that have been double tested to 1300 bars.













Legia Phoenix Classic	12/70	20 Ni	34 g	photodegradable wad	4-5-6-7-8	10
Legia Phoenix Super	12/70	20 Ni	36 g Ni	photodegradable wad	0-2-3-4-5-6-7	10
Legia Phoenix Semi magnum	12/70	20 Ni	42 g Ni	photodegradable wad	0-2-3-4-5-6	10
Legia Phoenix Magnum	12/76	20 Ni	53 g Ni	photodegradable wad	0-2-3-4-5-6	10
Legia Phoenix Brenneke	12/70	20 Ni	31,5 g	-	Brenneke	10



